





SURGEON GENL'S OFFICE

Amos A. Cook's book

Bought at Vanden
10th Month 26th 1821

(Price 3 Cents)

Enner

Primitive Physick :

OR, AN

EASY AND NATURAL


M E T H O D

OF CURING

MOST DISEASES.

By JOHN WESTLEY.

Homo sum : humani nihil a me alienum puto.



The TWELFTH EDITION, corrected and much enlarged.

PHILADELPHIA :

Printed by *Andrew Stewart*, at the Bible-in-Heart in Second-
street. 1764.

continually spring, even without the Aid of external Violence. And how is the Number of these increased, by every Thing round about us ? The Heavens, the Earth, and all Things contained therein, conspire to punish the Rebels against their Creator. The Sun and Moon shed unwholsome Influences from above ; the Earth exhales poisonous Damps from beneath : The Beasts of the Field, the Birds of the Air, the Fishes of the Sea, are in a State of Hostility : The Air itself, that surrounds us on every Side, is replete with the Shafts of Death : Yea, the Food we eat, daily saps the Foundation of the Life, which cannot be sustained without it. So has the LORD of All secured the Execution of his Decree, “ *Dust thou art, and unto Dust shalt thou return.*”

3. But can there Nothing be found to lessen those Inconveniencies, which cannot be wholly removed ? To soften the Evils of Life, and prevent in Part the Sickness and Pain to which we are continually exposed ? Without Question there may. One grand Preventive of Pain and Sickness of various Kinds, seems intimated by the great Author of Nature, in the very Sentence that intails Death upon us : “ *In the Sweat of thy Face shalt thou eat Bread, ’til thou return to the Ground.*” The Power of Exercise, both to preserve and restore Health, is greater than can well be conceived : Especially in those who add Temperance thereto ; who, if they do not confine themselves altogether to eat either “ Bread, or the
“ Herb

“ Herb of the Field,” (which God does not require them to do) yet steadily observe both that Kind and Measure of Food. which Experience shews to be most friendly to Health and Strength!

4. 'Tis probable *PHYSICK*, as well as *RELIGION*, was in the first Ages chiefly traditional : Every Father delivering down to his Sons, what he had himself in like Manner received, concerning the Manner of healing both outward Hurts, and the Diseases incident to each Climate, and the Medicines which were of the greatest Efficacy for the Cure of each Disorder. 'Tis certain, this is the Method wherein the Art of Healing is preserved among the *Americans*, to this Day. Their Diseases, indeed, are exceeding few ; nor do they often occur, by Reason of their continual Exercise, and ('til of late, universal) Temperance. But if any is sick, or bit by a Serpent, or torn by a wild Beast, the Fathers immediately tell their Children what Remedy to apply. And 'tis rare, that the Patient suffers long ; those Medicines being quick, as well as generally infallible.

5. Hence perhaps it was that the Antients, not only of *Greece* and *Rome*, but even of barbarous Nations, usually assign'd *Physick* a Divine Original. And indeed it was a natural Thought, That He who had taught it to the very Beasts and Birds, the *Cretan* Stag, the *Egyptian* Ibis, could not be wanting to teach Man ;

Sanctius his Animal, mentisque capacius altæ :

Yea, sometimes, even by those meaner Creatures :

tures : For it was easy to infer, “ If this will heal that Creature, whose Flesh is nearly of the same Texture with mine, then in a parallel Case it will heal me.” The Trial was made. The Cure was wrought. And Experience and Physick grew up together.

6. And has not the Author of Nature taught us the Use of many other Medicines, but what is vulgarly term’d Accident ? Thus one walking some Years since in a Grove of Pines, at a Time when many in the neighbouring Town were afflicted with a Kind of new Distemper, little Sores in the Inside of the Mouth, a Drop of natural Gum fell from one of the Trees on the Book which he was reading. This he took up, and thoughtlessly applied to one of those sore Places. Finding the Pain immediately cease, he applied it to another, which was also presently healed. The same Remedy he afterwards imparted to others, and it did not fail to heal any that applied it. And doubtless numberless Remedies have been thus casually discovered in every Age and Nation.

7. Thus far Physick was wholly founded on Experiment. The *European*, as well as the *American*, said to his Neighbour, Are you sick ? Drink the Juice of this Herb, and your Sickness will be at an End. Are you in a burning Heat ? Leap into that River, and then sweat ’til you are well. Has the Snake bitten you ? Chew, and apply that Root, and the Poison will not hurt you. Thus antient Men, having a little Experience,

rience, joined with common Sense, and common Humanity, cured both themselves and their Neighbours, of most of the Distempers to which every Nation was subject.

8. But in Process of Time, Men of a philosophical Turn were not satisfied with this. They began to enquire, How they might account for these Things? How such Medicines wrought such Effects? They examined the human Body, and all its Parts; the Nature of the Flesh, Veins, Arteries, Nerves; the Structure of the Brain, Heart, Lungs, Stomach, Bowels; with the Springs of the several Animal Functions. They explored the several Kinds of Animal and Mineral, as well as Vegetable Substances. And hence the whole Order of Physick which had obtained to that Time, came gradually to be inverted. Men of Learning began to set Experience aside; to build Physick upon Hypothesis; to form Theories of Diseases and their Cure, and to substitute these in the Place of Experiments.

9. As Theories increased, simple Medicines were more and more disregarded and disused: 'til, in a Course of Years, the greater Part of them were forgotten, at least in the politer Nations. In the Room of these, Abundance of new Ones were introduced, by reasoning, speculative Men; and those more and more difficult to be applied, as being more remote from common Observation. Hence Rules for the Application of these, and Medical Books, were immensely multiplied; 'til at length Physick became an abstruse Science, quite out of the Reach of ordinary Men.

10. Physicians now began to be had in Admiration, as Persons who were something more than human. And Profit attended their Employ, as well as Honour; so that they had now two weighty Reasons for keeping the Bulk of Mankind at a Distance, that they might not pry into the Mysteries of the Profession. To this End they increased those Difficulties by Design, which began in a Manner by Accident. They filled their Writings with Abundance of Technical Terms, utterly unintelligible to plain Men. They affected to deliver their Rules, and to reason upon them, in an abstruse and philosophical Manner. They represented the critical Knowledge of Anatomy, Natural Philosophy, (and what not? Some of them insisting on that of Astronomy and Astrology too) as necessarily previous to the understanding the Art of Healing. Those who understood only, How to restore the Sick to Health, they branded with the Name of Empiricks. They introduced into Practice, Abundance of compound Medicines, consisting of so many Ingredients, that it was scarce possible for common People to know which it was that wrought a Cure: Abundance of Exoticks, neither the Nature nor Names of which their own Countrymen understood: Of Chymicals, such as they neither had Skill, nor Fortune, nor Time, to prepare: Yea, and of dangerous Ones, such as they could not use without hazarding Life, but by the Advice of a Physician. And thus both their Honour and Gain were secured; a vast
Majority,

Majority of Mankind being utterly cut off from helping either themselves or their Neighbours, or once daring to attempt it.

11. Yet there have not been wanting from Time to Time, some Lovers of Mankind, who have endeavoured (even contrary to their own Interest) to reduce Physick to its antient Standard: Who have laboured to explode out of it all Hypotheses, and fine-spun Theories, and to make it a plain intelligible Thing, as it was in the Beginning; having no more Mystery in it than this, "Such a Medicine removes such a Pain." These have demonstrably shewn, That neither the Knowledge of Astrology, Astronomy, Natural Philosophy, nor even Anatomy itself, is absolutely necessary to the quick and effectual Cure of most Diseases incident to human Bodies: Nor yet any Chymical, or Exotick, or Compound Medicine, but a single Plant or Fruit duly applied. So that every Man of common Sense (unless in some rare Cases) may prescribe either to himself or his Neighbour; and may be very secure from doing Harm, even where he can do no Good.

12. Even to the last Age there was something of this Kind done, particularly by the great and good Dr. *Sydenham*: And in the present, by his Pupil Dr. *Dover*, who has pointed out simple Medicines for many Diseases. And some such may be found in the Writings of the learned and ingenious Dr. *Cheyne*: Who doubtless would have communicated many more to the World,

but for the melancholy Reason he gave one of his Friends, that prest him with some Passages in his Works, which too much countenanced the modern Practice, “ O Sir, We must do something to oblige the Faculty, or they will tear us in Pieces.”

13. Without any Regard to this, without any Concern about the obliging or disobliging any Man living, a mean Hand has made here some little Attempt toward a plain and easy Way of curing most Diseases. I have only consulted herein, Experience, common Sense, and the common Interest of Mankind. And supposing they can be cured this easy Way, who would desire to use any other? Who would not wish to have a Physician always in his House, and one that attends without Fee or Reward? To be able (unless in some few complicated Cases) to prescribe to his Family, as well as himself?

14. If it be said, But what Need is there of such an Attempt? I answer, The greatest that can possibly be conceived. Is it not needful in the highest Degree, to rescue Men from the Jaws of Destruction? From wasting their Fortunes, as Thousands have done, and continue to do daily? From pining away in Sickness and Pain, either through the Ignorance or Knavery of Physicians? Yea, and many Times throwing away their Lives, after their Health, and Time, and Substance?

Is it enquired, But are there not Books enough already, on every Part of the Art of Medicine?

Yes,

Yes, too many, ten Times over, considering how little to the Purpose the far greater Part of them speak. But beside this, they are too dear for poor Men to buy, and too hard for plain Men to understand. Do you say, But there are enough of these Collections of Receipts. Where? I have not seen One yet, either in our own or any other Tongue, which contains only safe and cheap and easy Medicines. In all that have yet fallen into my Hands, I find many dear and many far-fetch'd Medicines; many of of so dangerous a Kind, as a prudent Man would never meddle with. And against the greater Part of those Medicines there is a further Objection: They consist of too many Ingredients. The common Method of compounding and decompounding Medicines, can never be reconciled to common Sense. Experience shews, That one Thing will cure most Disorders, at least as well as twenty put together. Then why do you add the other nineteen? Only to swell the Apothecary's Bill: Nay, possible, on purpose to prolong the Distemper, that the Doctor and he may divide the Spoil

But admitting there is some Quality in the Medicine proposed, which has Need to be corrected: Will not one Thing correct it, as well as twenty? It is probable, much better. And if not, there is Sufficiency of other Medicines, which need no such Correction.

How often, by thus compounding Medicines of opposite Qualities, is the Virtue of both utter-

ly destroyed? Nay, how often do those joined together destroy Life, which single might have preserved it? This occasioned that Caution of the great *Boerhaave*, against mixing Things without evident Necessity, and without full Proof of the Effect they will produce when joined together, as well as of that they produced when asunder: Seeing (as he observes) several Things, which separately taken, are safe and powerful Medicines, when compounded not only lose their former Powers, but commence a strong and deadly Poison.

15. As to the Manner of using the Medicines here set down, I should advise as soon as you know your Distemper, (which is very easy, unless in a Complication of Disorders, and then you would do well to apply to a Physician that fears God) First, use the first of the Remedies for that Disease which occurs in the ensuing Collection; unless some other of them be easier to be had, and then it may do just as well.) Secondly, After a competent Time, if it takes no Effect, use the second, the third, and so on. I have purposely set down (in most Cases) several Remedies for each Disorder; not only because All are not equally easy to be procured at all Times and in all Places: But likewise because the Medicine which cures one Man, will not always cure another of the same Distemper. Nor will it cure the same Man at all Times. Therefore it was necessary to have a Variety. However, I have subjoin'd the Letter *I* to those Medicines, which are said to be infallible.---Thirdly, Observe all the
Time

Time the greatest Exactness in your Regimen; or manner of Living. Abstain from all mixt, or all high season'd Food. Use plain Diet, easy of Digestion: And this as sparingly as you can, consistent with Ease and Strength. Drink only Water, if it agrees with your Stomach; if not, good clear Small-beer. Use as much Exercise daily, in the open Air, as you can without Weariness. Sup at Six or Seven on the lightest Food: Go to Bed early, and rise betimes, To persevere with Steadiness in this Course, is often more than half the Cure. Above all, add to the rest, (for it is not Labour lost) that old, unfashionable Medicine, PRAYER. And have Faith in God, who *“ killeth and maketh alive, who bringeth down to the Grave and bringeth up.”*

16. For the Sake of those who desire, through the Blessing of God, to retain the Health which they have recovered, I have added a few plain easy Rules, chiefly transcribed from Dr. Cheyne.

I. 1. The Air we breathe is of great Consequence to our Health. Those who have been long abroad in Easterly or Northerly Winds, should drink some thin and warm Liquor going to Bed: or a Draught of Toast and Water.

2. Tender People should have those who lie with them or are much about them, sound, sweet and healthy.

3. Every one that would preserve Health, should be as clean and sweet as possible in their Houses, Cloaths, and Furniture.

II. 1. The great Rule of Eating and Drinking is,
To

To suit the Quality and Quantity of Food to the Strength of our Digestion; to take always such a Sort and such a Measure of Food, as sits light and easy on the Stomach.

2. All pickled, or smoaked, or salted Food, and all high-season'd is unwholesome.

3. Nothing conduces more to Health, than Abstinence and plain Food, with due Labour.

4. For studious Persons, about eight Ounces of Animal Food, and twelve of Vegetable in twenty-four Hours is sufficient.

5. Water is the wholesomest of all Drinks; quickens the Appetite and strengthens the Digestion most.

6. Strong, and more especially spirituous Liquors, are a certain though slow Poison.

7. Experience shews, there is no Manner of Danger, in leaving them off all at once.

8. Strong Liquors do not prevent the Mischiefs of a Surfeit, nor carry it off so safely as Water.

9. Malt Liquors (except clear Small beer of a due Age) are exceeding hurtful to tender Persons.

10. Coffee and Tea are extremely hurtful to Persons who have weak Nerves.

III. 1. Tender Persons should eat very light Suppers; and that two or three Hours before going to Bed.

2. They ought constantly to go to Bed about Nine, and rise at Four or Five.

IV. 1. A due Degree of Exercise is indispensably

penfably neceffary to Health and long Life.

2. Walking is the beft Exercife for thofe who are able to bear it. Riding for thofe who are not. The open Air, when the Weather is fair, contributes much to the Benefit of Exercife.

3. We may ftrengthen any weak Part of the Body by conftant Exercife. Thus the Lungs may be ftrengthened by loud fpeaking, or walking up an eafy Afcent. The Arms or Hams by ftroingly rubbing them daily.

4. The Studious ought to have ftated Times for Exercife, at leaft two or three Hours a Day: The one half of this before Dinner, the other before going to Bed.

5. They fhould frequently fhave, and frequently wafh their Feet.

6. Thofe who read or write much, fhould learn to do it ftanding; otherwife it will impare their Health.

7. The fewer Cloaths any one uſes, by Day or Night, the hardier he will be.

8. Exercife, firſt, ſhould be always on an empty Stomach; ſecondly, ſhould never be continued to Wearineſs; thirdly, after it, we ſhould take Care to cool by Degrees. Otherwife we ſhall catch Cold.

9. The Fleſh-bruſh is a moſt uſeful Exercife eſpecially to ſtrengthen any Part that is weak.

10. Cold-bathings is a great Advantage to Health. It prevents Abundance of Diſeaſes. It promotes Perſpiration, helps the Circulation of the Blood, and prevents the Danger of catching

ing Cold. Tender People should pour Water upon the Head before they go in, and walk in, swiftly. To jump in with the Head foremost, is too great a Shock to Nature.

V. 1. Costiveness cannot long consist with Health. Therefore Care should be taken to remove it at the Beginning; and when it is removed, to prevent its Return, by soft, cool, opening Diet.

2. Obstructed Perspiration (vulgarly called catching Cold) is one great Source of Diseases. Whenever there appears the least Sign of this let it be removed by gentle Sweats.

VI. 1. The Passions have a greater Influence on Health than most People are aware of.

2. All violent and sudden Passions dispose to, or actually throw People into acute Diseases.

3. The slow and lasting Passions, such as Grief and hopeless Love, bring on chronical Diseases.

4. 'Till the Passion which caused the Disease is calm'd, Medicine is applied in vain.

5. The Love of God, as it is the sovereign Remedy of all Miseries, so in particular it effectually prevents all the bodily Disorders the Passions introduce, by keeping the Passions themselves within due Bounds. And by the unspeakable Joy and perfect Calm, Serenity and Tranquillity it gives the Mind, it becomes the most powerful of all the Means of Health and long Life.

P O S T S C R I P T.

1. **I**T was a great Surprise to the Editor of the following Collection, that there was so swift and large a Demand for it; that nine Impressions were called for in four or five Years; and that it was not only republished by the Booksellers in a neighbouring Nation, but also inserted by Parts in their public Papers, and so propagated through the whole Kingdom. This encouraged him carefully to revise the whole, and to publish it again, with several Alterations, which it is hoped may make it of greater Use to those who love common Sense and common Honesty.

2. Those Alterations are still in Pursuance of my first Design, To set down cheap, and safe, and easy Medicines; easy to be known, easy to be procured, and easy to be applied by plain unlettered Men. Accordingly, I have omitted a considerable Number which, tho' cheap and safe, were not so common or well known; and have added almost an equal Number, to which that Objection cannot be made: which are not only of small Price, and extreamly safe, but likewise easily to be found, if not in every House or Yard, yet in every Town, and almost every Village throughout the Kingdom.

3. It is because they are not safe, but extremely dangerous, that I have omitted (together with Antimony) the four Herculean Medicines, Opium, * the Bark, * Steel, and the various Preparations of

C

Quicksilver.

* Except in One Instance.

Quicksilver. Herculean indeed! Far too strong for common Men to grapple with. How many fatal Effects have these produced, even in the Hands of no ordinary Physicians? With regard to four of these, the Instances are glaring and undeniable. And whereas *Quicksilver*, the fifth, is in its native Form, as innocent as Bread or Water, has not the Art been discover'd, so to prepare it, as to make it the most deadly of all Poisons? These Physicians have justly termed edged Tools. But they have not yet taught them to wound at a Distance: And honest Men are under no Necessity of touching them, or coming within their Reach.

4. Instead of these, I have once more ventured to recommend to Men of plain unbiass'd Reason, such Remedies as Air, Water, Milk, Whey, Honey, Treacle, Salt, Vinegar, and common English Herbs, with a few foreign Medicines, almost equally cheap, safe and common. And this I have done on that Principle, whereby I desire to be governed in all my Actions, "Whatsoever ye would that Men should do unto you the same do unto them."

5. At the Request of many Persons, I have likewise added plain Definitions of most Distempers; not indeed accurate or philosophical Definitions, but such as are suited to Men of ordinary Capacities, and as may just enable them, in common, simple Cases, to distinguish one Disease from another. In uncommon or complicated Diseases, or where Life is more immediately in Danger I again advise every Man, without Delay, to apply to a Physician that fears GOD,

BRISTOL, OZ. 16, 1755.

A
COLLECTION.
OF
RECEIPTS.

I *Abortion, (to prevent.)*

1. **U**SE daily a Decoction of *Lignum Guaiacum*.
2. *For an Ague.* ‡
2. Go into the *Cold Bath* just before the Cold Fit.
3. Or. take a Handful of *Groundsell*, shred it small, put it into a Paper Bag, four Inches square, pricking that Side which is to be next the Skin, full of Holes. Cover this with a thin Linen, and wear it on the Pit of the Stomach, renewing it two Hours before the Fit : Tried.
4. Or, apply a Handful of *Yarrow* in like Manner :
5. Or, a large *Onion* slit :
6. Or, boil *Yarrow* in new Milk, 'till it is tender enough to spread as a Plaister. An Hour before the cold Fit, apply this to the Wrists, and let it be on 'till the hot Fit is over. If another Fit comes, use a fresh Plaister : this often cures a *Quartan*.
7. Or, drink a Quart of *cold Water*, just before the cold Fit. Then go to Bed and sweat :
8. Or,

‡ An *Ague* is, An Intermittent Fever, each Fit of which is preceded by a cold Shivering, and goes off in a Sweat,

8. Or, make six middling Pills of *Cobwebs*, Take one a little before the cold Fit: Two a little before the next Fit: The other three, if Need be, a little before the third Fit. I never knew this fail :
9. Or, two Tea-spoonfuls of *Sal Prunellæ* an Hour before the Fit. It commonly cures in thrice taking :
10. Or, a Tea spoonful of *Spirits of Hartshorn*, in a Glass of Water :
11. Or, eat a *Lemon*, Rind and all :
12. Or, drink a Pint of Decoction of *Camomile*, sweeten'd with Treacle. Take it warm in Bed, and sweat two Hours.

It is proper to take a gentle Vomit before you use any of these Medicines. If this is taken two Hours before the Fit is expected it generally prevents that Fit, and sometimes cures an Ague: Especially in Children.—It is also proper to repeat the Medicine (whatever it be) about a Week after, in order to prevent a Relapse.

3. *A Tertian Ague.* ||

13. Boil a Handful of *Ribwort* in Whey. Drink this warm an Hour before the Fit comes, and lie down and sweat. :
14. Or, use the *Cold Bath*. (Unless you are of an advanced Age, or extremely weak) But when you use this, on any Account whatever, it is proper,
 1. To bleed or purge, before you begin ;
 2. To go in cool ; to immerge at once ; to stay in only two or three Minutes, (or less at first.)
 3. Never to bathe on a full stomach :
 4. To bathe twice or thrice a Week at least, 'till you have bathed nine or ten Times :
 5. To sweat immediately after it (going to Bed) in Palsies Rickets, and all Diseases wherein the Nerves are obstructed :
 6. You may use yourself to it, without any Danger, by beginning in *May*, and at first just plunging in, and coming out immediately. Tho' many have begun in Winter, without any Inconvenience.

4. *A*

|| That is an *Ague* which returns every other Day.—In this use light and sparing Diet on the Day between.

4. *A Quartan Ague.* ‡

15. Apply to the Suture of the Head, when the Fit is coming, *Wall July Flowers*, beating together Leaves and Flowers with a little Salt. Keep it on 'till the hot Fit is over. Repeat this if need be.
16. Use *strong Exercise* (as Riding or Walking, as far as you can bear it) an Hour or two before the Fit. If possible, continue it 'till the Fit begins. This alone will frequently cure.
17. Or, apply to the Wrists a Plaster of *Turpentine* : Or of bruised *Garlick* :
18. Or, of bruised *Pepper*, mixt with *Treacle*.

5. *St. Anthony's Fire.* *

19. Take a Glass of *Tar-Water* warm in Bed, every Hour washing the Part with the same.
- Tar-Water is made thus.*—Put a Gallon of cold Water to a Quart of *Norway Tar*. Stir them together with a flat Stick for five or six Minutes. After it has stood cover'd for three Days, pour off the Water clear, bottle and cork it.
20. Or, drink a Pint of *Sea-Water* every Morning for seven Days. It seldom fails.
21. Or, take a Decoction of *Elder-Leaves*, as a Sweat;
22. Or, of *wild Thyme*, applying to the Part a Cloth dipt in *Lime Water*, mixt with a little *camphorated Spirits of Wine*.
- Lime-Water is made thus.*—Infuse a Pound of good quick Lime, in six Quarts of *Spring Water* for twenty-four Hours. Decant and keep it for Use.
23. Or, take two or three gentle Purges. No acute Fever bears repeated Purges better than this, especially when it affects the Head.
24. Or, (using the Internal Medicine at the same Time) apply a Plaster of *Venice Treacle* :
25. Or, wash it with Water wherein Bran is boiled :

26. Or;

‡ That is, an *Ague* which misses two Days coming on Monday (suppose) and again on Thursday.

* *St. Anthony's Fire* is a Fever attended with a red and painful Swelling, full of Pimples, which afterwards turn into small Blisters, on the Face or some other Part of the Body. The sooner the Eruption is, the less Danger.—Let your Diet be only *Water-Gruel*, or *Barley-Broth*, with roasted Apples

26. Or, boil a Handfull of *Sage*, two Handfulls of *Elder-leaves* (or *Bark*) and an Ounce of *Allum* in two Quarts of Forge Water, to a Pint. Anoint with this every Night.

6. *The Apoplexy.* †

27. To prevent, use the *Cold Bath*, and drink only Water.
 28. In the Fit, blow Powder of *white Heleboe* up the Nose, and fix a *Cupping Glass*, without scarifying, to the Nape of the Neck and another to each Shoulder. But send for a good Physician immediately.
 29. If the Fit be soon after a Meal, do not bleed, but vomit.
 30. Rub the Head, Feet, and Hands strongly, and let two strong Men carry the Patient upright, backwards and forwards about the Room.
 31. A *Seton* in the Neck, with low Diet, has often prevented a Relapse.

7 *Canine Appetite.* *

32. " If it be without Vomiting, is often cured by a small Bit of Bread dipt in Wine, and applied to the Nostrils."
 Dr. Schomberg.

8 *The Asthma.* ‖

33. Take a Pint of *cold Water* every Night, as you lie down in Bed:
 34. Or, a Pint of *cold Water* every Morning, *washing* the Head therein immediately after, and using the *Cold Bath* once a Fortnight:
 35. Or, half a Pint of *Tar-Water* twice a Day:
 36. Or, drink a Pint of *Sea-Water* every Morning:
 37. Or, live a Fortnight on boiled *Carrots* only. It seldom fails.
 38. Or, a Spoonful of *Nettle-juice*, mixt with clarified *Honey*
 39. Or, take an ounce of *Quicksilver* every Morning, and a Spoonful of the *Gas* of *Sulphur*, in a large Glass of Spring-Water at Five in the Evening, and at Bed-time, 'till you are well. I
 40. For

† An *Apoplexy* is, A total Loss of all Senses, and voluntary Motion, commonly attended with a strong Pulse, hard Breathing and Snorting.

* An insatiable Desire of Eating.

‖ An *Asthma* is a Difficulty of Breathing, from a Disorder in the Lungs. In the common (or moist) *Asthma*, the Patient spits much.

40. For present Relief, Vomit with a Quart or more of *warm Water*. The more you drink of it the better.
Do this whenever you find any Motion to vomit, and take Care always to keep your Body open.

9. *A Dry Convulsive Asthma.*

41. Juice of *Radishes* relieves much; so does
 42. A Cup of strong *Coffee*.
 43. Or, *Garlick*, either raw or preserved, or in Syrup:
 44. Or, Tea made with *Hyssop*, *Ground-Ivy*, *Daisy-Flowers* and *Liquorish*:
 45. Drink a Pint of *new Milk* Morning and Evening. — That has cured an inveterate *Asthma*.
 46. Use the *Cold Bath* thrice a Week:
 47. Or, beat fine *Saffron* small, and take eight or ten Grains every Night:
 48. Or, dry and powder a *Toad*. Make it into small Pills, and take one every Hour 'till the Convulsions cease.
 49. In any *Asthma*, the best Drink is *Apple-Water*.

10. *To cure Baldness.*

50. Rub the Part Morning and Evening, with *Onions*, 'till it is red; and rub it afterwards with *Honey*.

11. *Bleeding at the Nose (to prevent.)*

51. Drink *Whey* largely every Morning, and eat *Raisins* much
 52. Or, apply to the Neck behind and on each Side, a Cloath dipt in *cold-Water*:
 53. Or, wash the Temples, Nose and Neck with *Vinegar*:
 54. Or, chew *Nettle-Root*, spitting out the Juice:
 55. Hold a *red-hot Poker* under the Nose:
 56. Or, steep a *Linen Rag* in *sharp Vinegar*, burn it, and blow it up the Nose with a Quill.

12. *Bleeding of a Wound.*

57. Make tight *Ligatures* on the Arms:
 58. Or, apply Tops of *Nettles* bruised:
 59. Or, Leaves of *All-heal* bruised: I.
 60. Or, spread the *Ashes* of a Linen Cloath thick on another Linen Cloath, and apply it:
 61. Or,

61. Or, strew on it the *Asbes* of a Linnen Rag, dipt in sharp *Vinegar* and burnt:
 62. Or take ripe *Puff-Balls*. Break them warily and save the Powder. Strew this on the Wound and bind it on. — This will absolutely stop the Bleeding of an amputated Limb without any Caustery.

13. *Spitting Blood.*

63. Take half a pint of stew'd *Prunes*, at lying down for two or three Nights:
 64. Or, a Glass of Decoction of Onions:
 65. Or, four Spoonfuls of Juice of *Nettles* every Morning; and a large Cup of Decoction of *Nettles* at Night for a Week:
 66. Take frequently a spoonful of the Juice of *Nettles* and *Plantain* Leaves, mixt and sweetened with Sugar Candy:
 67. Or, three Spoonfuls of *Sage-juice* in a little *Honey*. This presently stops either spitting or vomiting Blood:
 68. Or, half a Tea-spoonful of *Barbadoes Tar* on a Lump of Loaf Sugar at night. It commonly cures at Once.

14. *Vomiting Blood.*

69. Take three Spoonfuls of *Sage-juice* in *Honey*.
 70. Or, two Spoonfuls of *Nettle-juice*.— (This also dissolves Blood coagulated in the Stomach.)
 71. Or, one Spoonful of the Juice of *Quinces*:
 72. Or, a Quarter of a Pint of Decoction of *Nettles* and *Plantane* two or three Times a Day.

15. *To dissolve coagulated Blood.*

73. Bind on the Part for some Hours a Paste made of *Black Soap* and *Crumbs of white Bread*:
 74. Or, grated Root of *Burdock* spread on a Rag: Renew this twice a Day.

16. *Boils.*

75. Apply a little *Venice Turpentine*:
 76. Or, a Plaster of *Honey* and *Wheat-Flour*:
 77. Or, of *Figs*:
 78. Or, a little *Saffron* in a white Bread Poultis.—
 'Tis proper to purge also.

17. *Hard Breasts.*

79. Apply *Turnips roasted* 'till soft, then mash'd and mixt with a little *Oil of Roses*. Change this twice a Day, keeping the Breast very warm with Flannel.

18. *Sore Breasts and swell'd.*

80. Boil a Handful of *Camomile* and as much *Malloes* in Milk and Water. Foment with it between two Flannels as hot as can be borne every twelve Hours. It also dissolves any Knob or Swelling in any Part.

19. *A Bruise.*

81. Immediately apply *Treacle* spread on brown Paper:
 82. Or, *clarified Honey* :
 83. Or, rub it with one Spoonful of *Oil of Turpentine* and two of *Neats-foot Oil* :
 84. Or, apply a plaister of chopt *Parsley* mixt with Butter :
 85. Or, a Fomentation of *Verjuice* and *Camomile Flowers*.

20. *To prevent Swelling from a Bruise.*

86. Immediately apply a Cloth, five or six Times double, dipt in *cold Water*, and new dipt when it grows warm.

21. *To cure a swelling from a Bruise.*

87. Foment it half an Hour, Morning and Evening, with Cloths dipt in *Water*, as hot as you can bear:
 88. Or, apply *Sea-weed*.

22. *A Burn or Scald.*

89. Immediately plunge the Part into *cold Water*. Keep it in an Hour, if not well before. Perhaps four or five Hours :
 90. Or, if the part cannot be dipt, apply a Cloth four Times doubled, dipt in *cold Water*, changing it when it grows warm :
 91. Or, apply a *bruised Onion* :
 92. Or, *Tincture of Myrrh* :
 93. Or, *Oil and Parsley* stamp together :

D.

94. Or,

94. Or, apply *Oil*, and strew on it powder'd *Ginger*.

23. *A deep Burn or Scald.*

95. Apply black *Varnish* with a Feather 'till it is well:

96. Or, inner Rind of *Elder* well mixt with fresh *Butter*.
When this is bound on with a Rag, plunge the Part into cold Water. This will suspend the Pain 'till the Medicine heals.

24. *A Cancer in the Breast.* †

97. Use the *Cold Bath*. (This has cured many.) This has cured Mrs. *Bates* of *Leicestershire*, of a Cancer in her Breast, a Consumption, a Sciatica, and Rheumatism, which she had near twenty Years.—She bathed daily for a Month and drank only Water.

Generally where Cold Bathing is necessary to cure any Disease, Water drinking is so, to prevent a Relapse.

98. If it be not broke, apply a piece of *Sheet-lead* beat very thin, and pricked full of Pin-holes, for Days or Weeks to the whole Breast.—Purges should be added every third or fourth Day:

99. Or, take a mellow *Apple*, cut off the Top, take out the Core, fill the Hole with *Hogs-grease*; then cover it with the Top, and roast the Apple thoroughly, take off the Paring, beat the Pap well, spread it thick on Linnen, and lay it warm on the sore, putting a bladder over it.—Change this every twelve or twenty-four Hours:

100. Take *Horses-Spurs* and dry them by the Fire 'till they will beat to a Powder. Sift and infuse two Drams in two Quarts of Ale; drink half a Pint every six Hours, new Milk warm—It has cured many.

101. Or, apply *Goose-dung* and *Celandine* beat well together, and spread on a fine Rag. It will both cleanse and heal the Sore.

102. Or a Poultis of *wild Parsnips*; Flowers, Leaves and Stalks, changing it Morning and Evening.

103. Or,

† A Cancer is an hard, round, uneven, painful Swelling, of a blackish or leaden Colour; the Veins round which seem ready to burst. It comes commonly at first with a Swelling about as big as a Pea, which does not at first give much Pain, nor change the Colour of the Skin.

103. Or, live three Months on *Apples* and *Applewater* :
 104. Or, take half a Dram of *Venice-Soap* twice a Day :
 105. Or, take *Brimstone* and *Gas of Sulphur*, as Art. 39.—
 This has cured one far advanced in Years.

25. *A Cancer in any other Part.*

106. Apply red *Onions* bruised :
 107. Or, make a Plaister of *Roch-Allum*, *Vinegar* and *Honey* equal Quantities, with *Wheat-flour*. Change it every twelve Hours. It often cures in three or four Days :
 108. Or, stamp the Flowers, Leaves and Stalks of *wild Parsnips*, and apply them as a Plaister, changing it every twelve Hours. It usually cures in a few Days.

26. *Cancer in the Mouth.*

109. Boil a few Leaves of *Succory*, *Plantane* and *Rue*, with a Spoonful of *Honey*, for a Quarter of an Hour. Gargle with it often in an Hour. I.
 110. Or, with *Vinegar* and *Honey* wherein half an Ounce of *Roch-Allum* is boiled :
 111. Or, take an Ounce of *Flour of Sulphur*, and half an Ounce of *Roch-Allum* finely powder'd. Mix these well together with pure *Honey*, and apply often.

27. *Chilblains (to prevent.)*

112. Wear *Flannel Socks* :
 113. Or, wash the Hands with *Flour of Mustard*.

28. *Chilblains (to cure.)*

114. Apply *Salt* and *Onions* pounded together :
 115. Or, a *Poultis* of *roasted Onions* hot. Keep it on two or three Days, if not cured sooner :
 116. Or, hot *Turnip-parings* roasted, changing them twice or thrice a Day.
 117. Wash them (if broke) with *Tincture of Myrrh* in a little Water.

29. *Chin-Cough or Hooping-Cough.*

118. Use the *Cold Bath* daily :

119. Or,

119. Or, rub the Feet thoroughly with *Hog's-lard*, before the Fire, at going to Bed, and keep the Child warm therein:
 120. Or, rub the Back at lying down with *old Rum*. It seldom fails.
 121. Or, give a spoonful of Juice of *Penny-royal* mixt with brown *Sugar-candy*, twice a Day:
 122. Or, half a Pint of *Milk* warm from the Cow with the Quantity of a nutmeg of Conserve of *Roses* dissolv'd in it every Morning.

30. *Cholrea Morbus, i. e. Flux and Vomiting.*

123. Drink two or three Quarts of *cold Water*, if strong; of *warm Water*, if weak:
 124. Or, boil a Chicken an Hour in two Gallons of Water, and drink of this 'till the Vomiting ceases.

31. *Chopt Hands (to prevent.)*

125. Wash them with *Flour of Mustard*: 1 /
 126. Or, in *Bran* and *Water* boiled together:
 127. To cure, wash with *soft Soap* mixt with *red Sand*:
 128. Apply *Oil of Myrrh*.

32. *Chopt Lips.*

129. Apply a little *Sal Prunellæ*.

33. *A Cold.*

130. Drink a Pint of *cold Water* lying down in Bed:
 131. Or a Spoonful of *Treacle* in half a Pint of Water:
 132. Or, to one Spoonful of *Oatmeal* and one Spoonful of *Honey*, add a piece of *Butter* of the Bigness of a Nutmeg: Pour on gradually near a Pint of boiling Water; drink this lying down in Bed.

34. *A Cold in the Head.*

133. Pare very thin the *yellow Rind* of an *Orange*. Roll it up inside out and thrust a Roll into each Nostril.

35. *The Colick (in the Fit.)*

134. Drink a Pint of *cold Water* :
 135. Or a Quart of *warm Water* :
 136. Or, as largely as possible of *warm Tar-Water* :
 137. Or, a Pint of Water in which a *red hot Flint* is quenched:
 138. Or, drink largely of *Camomile-Tea* :
 139. Or, of *Decoction of Malloes* :
 140. Or take thirty Drops of Spirit of *Turpentine*, in a Glass of Water :
 141. Or from two Scruples to half a Dram of *Yellow-peel* of Oranges powder'd, in a Glass of Water :
 142. Or beat together into a Cake one Part of stoned Raisins of the Sun, and three Parts of *Juniper-Berries*; eat more or less according to the Pain :
 143. Or, take from forty to a hundred Drops of Oil of *Anise-seed*, on a Lump of Sugar :
 144. Or, apply outwardly a Bag of *hot Oats*.

36. *Colick in Children.*

145. Give a Scruple of powder'd *Anise-seed* in their Meat.

37. *A Billicious Colick. ||*

146. Give a Spoonful of *sweet Oil* every Hour.—
 This has cured one, judged to be at the Point of Death.
 147. Or, boil an Ounce of bruised *Anise-seed* in two Quarts of Water, 'till half is boiled away. When it is cool, infuse an Ounce of *Manna*, and four Drams of *Glauber's Salts*. Drink as much of it as you can.

38. *An Habitual Colick.*

148. Wear a thin soft Flannel on the Part.

39. *An Hysterick Colick. ‡*

149. Mrs. *Watts*, by using the *Cold Bath* two and twenty Times in a Month, was entirely cured of an Hysterick Colick,

|| This is generally attended with vomiting a greenish or a frothy Matter, with a feverish Heat, violent Thirst, a bitter Taste in the Mouth, and little and high-coloured Urine.

‡ Is attended with a violent Pain about the Pit of the Stomach, with great sinking of the Spirits, and often with greenish Vomiting.

Colick, Fits, and convulsive Motions, continual Sweatings and Vomiting, wandering Pains in her Limbs and total Loss of Appetite.

150. In the Fit, drink half a Pint of *Water* with a little *Wheat-flour* in it, and a Spoonful of *Vinegar* :

151. Or a Glass full of *Vinegar* :

152. Or take 20, 30 or 40 Drops of *Balsam of Peru* in fine Sugar : If need be, take this twice or thrice a Day :

153. Or, in Extremity, Boil three Ounces of *Burdock-Seed* in Water, which gives us a Clyster :

154. Or, five Grains of *Laudanum*, in any proper Clyster, which thus injected gives instant Ease.

40. *A Nervous Colick.* *

155. Use the *Cold Bath.* daily for a Month :

156. Or, take *Quicksilver* and *Gas of Sulphur*, daily for a Month : As Art. 39.

41. *Colick from the Fumes of Lead, or White Lead, Verdigrease, &c.*

157. In the fit, drink fresh melted *Butter*, and then vomit with *warm Water*.

158. Or, give Clysters of *Oil* or *fat Broth*.

159. To prevent or cure, breakfast daily on *fat Broth*, and use *Oil of sweet Almonds* frequently and largely.

42. *A Consumption.*

160. *Cold Bathing* has cured many deep Consumptions.

161. One in a deep Consumption was advised to drink nothing but *Water* and eat nothing but *Water-gruel*, without Salt or Sugar. In three Months Time he was perfectly well.

162. Take no Food but *new Butter-Milk*, churn'd in a Bottle, and *White Bread*.—I have known this successful :

163. Or, boil two Handfuls of *Sorrel* in a Pint of *Whey*. Strain it, and drink a Glass thrice a Day :

164. Or take a Spoonful of *Syrup of Fox-glove*, Morning and Evening :

165. Or,

* This is frequently term'd the *dry Belly-ach*,. It often continues several Days, with little Urine, and obstinate Costiveness.

165. Or, turn a Pint of skim'd Milk with half a Pint of small Beer. Boil in this Whey, about twenty *Ivy-leaves*, and two or three Sprigs of *Hyssop*. Drink half over Night, the rest in the Morning. Do this if needful for two Months daily.—This has cured in a desperate Case.
166. Or, take a *Cow-beel* from the Tripe-house ready drest, two Quarts of *new Milk*, two Ounces of *Hartshorn-shavings*, two Ounces of *Ising-glass*, a Quarter of a Pound of *Sugar-candy*, and a Race of *Ginger*. Put all these in a Pot; and set them in an Oven after the Bread is drawn. Let it continue there 'till the Oven is near cold; and let the Patient live on this.—I have known this cure a deep consumption more than once.
167. Or, every Morning cut up a little 'Turf of fresh Earth, and, lying down, breath into the Hole for a Quarter of an Hour.—I have known a deep Consumption cured thus.
168. Or, take half a Pint of skim'd *Milk*. put one Spoonful of the best Rum, sweetened with a little Sugar or Sugar of Roses; take it new Milk warm, lying in Bed an Hour after it: And use for common Drink eight Parts 'Water, three Parts skim'd Milk, one Part Rum, sweetened with a little Sugar.
169. "Mr. *Masters* of *Evesham*, was so far gone in a Consumption, that he could not stand alone. I advised him to lose six Ounces of Blood, every Day for a Fortnight, if he lived so long; and then every other Day; then every third Day; then every fifth Day, for the same Time. In three Months he was well."—Dr. *Dover*.
170. Or, throw *Frankinsence* on burning Coals, and receive the *Smoke* daily thro' a proper Tube into the Lungs:
171. Or smoke *Balsam* of *Tul*, like Tobacco.

43. *Convulsions*.

172. Use the *Cold Bath*:
173. Or, take a Tea-Spoonful of *Valerian-root* powder'd in a Cup of 'Water every Evening:
174. Or, half a Dram of *Misselto* powder'd, every six Hours drinking after it a Draught of strong Infusion thereof.

44. *Convulsions in Children.*

175. Scrape *Piony Roots* fresh digged. Apply what you have scraped off to the Soles of the Feet. It helps immediately.

45. *Convulsions in the Bowels of Children.*

176. Give a Child a Quarter old, a Spoonful of the *Pellitory of the Wall*, two or three Times a Day. It goes thro' at once, but purges no more. Use Syrup, if Juice cannot be had.

46. *Corns (to prevent.)*

177. Wash the Feet often in *cold Water*.

47. *Corns (to cure.)*

178. Apply fresh every Morning the *Yeast of small Beer*, spread on a Rag:
 179. Or boil the Juice of *Radishes*, 'till it is thick enough to spread as a Plaster. Shift it as it grows dry:
 180. Or, cleanse from Earth the Root and Herb of *Houfeleek*; crush it with your Fingers and apply it. Renew it every three Hours, for twenty four Hours: *I*
 181. Or, apply fresh *Ivy-leaves* daily, and in fifteen Days they will drop out.

48. *Costiveness.*

182. Rise early every Morning:
 183. Or, boil in a Pint and half of Broth, half a Handful of *Mallow-leaves* chopt: Strain this and drink it before you eat any Thing else. Do this frequently if needful:
 184. Or, breakfast twice a Week or oftner, on *Water-gruel* with *Currants*:
 185. Or take the Bigness of a large Nutmeg of *Cream of Tartar*, mixt with Honey, as often as you need.

49. *A Cough.*

186. Drink a Pint and a half of *cold Water* lying down in Bed:
 187. Or mix on Ounce of *Linsced Oil*, with an Ounce of *white Sugar-candy* powder'd, and take a Tea-spoonful whenever the Cough comes:

188. Or,

188. Or, make a Hole thro' a *Lemon* and fill it with *Honey*. Roast it, and catch the Juice. Take a Tea-spoonful of this frequently:

189. Every Cough is a dry Cough at first. As long as it continues so, it may be cured by chewing immediately after you cough, the Quantity of a Pepper-corn of *Peruvian-Bark*. Swallow your Spittle as long as it is bitter, and then spit out the Wood. If you cough again, do this again. It very seldom fails to cure any dry Cough.

50. *An Astmatick Cough.*

190. Take *Spanish Liquorice* two Ounces, *Salt of Tartar* half an Ounce: Boil the *Liquorice* in three Pints of Water to a Quart.—Add the Salt to it when it is Blood warm. Drink two Spoonfuls of this every two Hours.—It seldom fails.

51. *A Consumptive Cough.*

191. Slit ten or twelve *Raisins* of the Sun, take out the Stones, and fill them up with the small tender Tops of *Rue*. Take these early every Morning, fasting two or three Hours after:

192. Or, boil a Pound of *Raisins* stoned in a Quart of *old Verjuice* to about a Pint. Then add a Pound of *brown Sugar-candy*, and let it simmer into a Syrup. Take near a Spoonful every three or four Hours.

193. To stop it for a Time, at lying down keep a little *stick Liquorish* shaved like *Horse-radish*, between the Cheek and the Gums.—I believe this never fails.

52. *A Convulsive Cough.*

194. Eat preserv'd *Walnuts*:

195. Or, boil a Handful of *Bay-leaves* in Milk, turn this with *white Wine*, and drink a Draught of the Whey often.

53. *An Inveterate Cough.*

196. Wash the Head in *cold Water* every Morning:

197. Or, use the *Cold Bath*.—It seldom fails:

198. Or, take half a Pint of Decoction of *Onions* Morning and Evening:

199. Or, a Spoonful of Juice of *Onions* :

200. Or, take peel'd *Turnips* three Pounds, *Sugar* one Pound, put them in an Earthen Pot close cover'd for twenty-four Hours. Strain the Juice and take two or three Spoonfuls Morning and Evening :

201. Or, mix the Juice of boil'd *Turnips* with fine powder'd *Sugar-candy*, 'till it is a Kind of Syrup. Swallow a little of it Drop by Drop from Time to Time :

202. Or, take a Spoonful of Syrup of *Horehound* Morning and Evening :

203. Or, put a Scruple of *Sperma-Ceti* into the Yolk of a new-laid Egg, and sup it up in the Morning fasting.

54. *A Pleuritick Cough.*

204. Powder an Ounce of *Sperma-Ceti* fine. Work it in a Marble Mortar with the Yolk of a new-laid Egg. Mix them in white Wine, and take a small Glass every three Hours.

55. *A Tickling Cough.*

205. Drink *Water* whiten'd with Oatmeal four Times a Day :

206. Or, keep a Piece of *Barley-Sugar* or *Sugar-candy* constantly in your Mouth.

56. *Violent Coughing from a sharp thin Rheum.*

207. Work into old *Conserve of Roses*, as much as you can of pure *Olibanum*, powder'd as fine as possible. Take a Bolus of this twice or thrice a Day. It eases presently, and cures in two or three Weeks :

208. Or, use *Milk-diet* as much as possible.

57. *The Cramp (to prevent.)*

209. Tie your Garter tight under your Knee at going to Bed :

210. Or be *electrified* thro' the Part which uses to be affected. This generally prevents it for a Month Sometimes for a Twelve Month.

58. *The Cramp (to cure.)*

211. Stretch out the Limb immediately :

212. Or,

212. Or stretch out the opposite Arm and clench the Fist:
 213. Or, chafe the Part with *Hungary-Water*:
 214. Or, with *rectified Spirits of Wine*:
 215. Or, apply boiled Nettles hot:
 216. Or, take half a Pint of *Tar-water* Morning and Evening.

59. *A Cut.*

217. Keep it closed with your Thumb a Quarter of an Hour.
 Then double a Rag five or six Times; dip it in cold Water, and bind it on.

60. *Deafness.*

218. Be *electrified* thro' the Ear:
 219. Or, use the *Cold Bath*:
 220. Or, drop into the Ear a Tea-spoonful of *salt Water*:
 221. Or, of Juice of *Ground-Ivy*:
 222. Or, three or four Drops of *Onion-juice* at lying down, and stop it with a little Wool.

61. *Deafness from Wax.*

223. Syringe the Ear with warm *Sage-tea*:
 224. Or, put in *wild Mint* bruised, with the Juice, changing it often.

62. *Deafness with Head-ach and Buzzing in the Head.*

225. Peel a Clove of *Garlick*; dip it in *Honey*, and put it into your Ear at Night with a little black Wool. Lie with that Ear uppermost. Put the same in the other Ear the next Night. Do this, if need be, eight or ten Days.

63. *A Settled Deafness.*

226. Take a red *Onion*, pick out the Core; fill up the Place with Oil of roasted Almonds. Let it stand a Night; then bruise and strain it. Drop three or four Drops into the Ear, Morning and Evening, and stop it with black Wool.

64. *To cause an easy Delivery.*

227. Peel, slice and fry a large white *Onion* in two or three Spoonfuls of the best *Oil*, till it is tender, Boil this with half a Glass of *Water*: Strain and drink it in the Morning fasting, for two or three Weeks before the Time of Child-birth.

65. *A Diabetes.* *

228. Drink *Wine* boiled with *Ginger*, as much and as often as your Strength will bear. Let your Drink be *Milk* and *Water*. All *Milk Meats* are good:
229. Or, drink three or four Times a Day a Quarter of a Pint of *Allum Posset-drink*.—Putting three Drams of *Allum* to four Pints of *Milk*.—It seldom fails to cure in eight or ten Days. Dr. *Mead*.

66. *The Dropsy.* †

230. Use the *Cold Bath* daily, after purging:
231. Or, drink nothing but *Lemonade*: i. e. *Lemon*, *Sugar* and *Water*:
232. Or, take as much as lies on a Six-pence of powder'd *Lawrel-leaves*, every second and third Day. It works both Ways.
233. Or, mix half an Ounce of *Amber* with a Quart of *Wine Vinegar*. Heat a Brick (only red hot) and put it into a Tub. Pour them upon it, and hold the Parts swell'd over the Smoak, covering the Tub close, to keep in the Smoak. The *Water* will come out incredibly, and the Patient be cured:
234. Or, cover the whole Belly with a large new *Sponge* dipt in strong *Lime-water*, and then squeezed out. This bound on, often cures, even without any sensible Evacuation of *Water*:
235. Or, apply green *Dock-leaves* to the Joints and Soles of the Feet, changing them once a Day:

136. Or,

* A *Diabetes* is a frequent and large Discharge of pale *Urine*, attended with constant Thirst, and a Wasting of the whole Body.

† A *Dropsy* is, a preternatural Collection of *Water*, in the Head, Breast, Belly, or all over the Body. It is attended with a continual Thirst. The Part swelled pits, if you press it with your Finger. The *Urine* is pale and little.

236. Or, abstain from all drink for thirty Days. To ease your Thirst hold often on your Tongue, a thin small Slice of toasted Bread dipt in Brandy; or, wash the Mouth with Juice of Lemons.
237. *Tar-water* drank twice a day has cured many:
238. Or, eat a *Crust* of *Bread* every Morning fasting:
239. Or, drink half a Pint of *Sea-Water*, Morning and Evening:
240. Or, mix a Pound of the coarsest *Sugar* with a Pint of Juice of *Pellitory of the Wall* bruised in a Marble Mortar. Boil it as long as any Scum rises. When cool, bottle and cork it. If very bad, take three Spoonfuls at Night, and two in the Morning.——It seldom fails:
241. Take a Spoonful of the Juice of *Artichoke-leaves*, Morning and Evening:
242. Or, three Spoonfuls of the Juice of *Leeks* and *Elder-leaves*: *I.*
243. Or, half a Pint of Decoction of Butchers *Broom*, intermixing Purges twice or thrice a Week. The proper Purge is ten Grains of *Jalap* with six of powder'd *Ginger*. It may be encreas'd or lessen'd according to the Strength of the Patient:
244. Or, take a Spoonful of whole *Mustard-seed*, Night and Morning, and drink on it half a Pint of Decoction of *green Broom-tops*. This works both by Stool and Urine:
245. Or, boil two Handfuls of *Elder-roots* in a Quart of Water. Strain it and drink a large Glass thrice a Day for thirty Days. It frequently cures in that Time.

67. The Ear-Ach.

246. Rub the Ear hard for a Quarter of an Hour:
247. Or, be *electrified*:
248. Or, apply to it a *hot Roll*:
249. Or, put in a *roasted Fig*, as hot as may be:
250. Or, blow the *Smoke of Tobacco* strongly into it:
251. Or, drop in Juice of *Goose-Grease*.

68. Ear-Ach from Cold.

252. Boil *Rue*, or *Rosemary*, or *Garlick*, and let the Steam go into the Ear thro' a Funnel.

69. *Ear-Ach from Heat.*

253. Apply Cloths four Times doubled and dipt in *cold Water*, changing them when warm, for half an Hour.

70. *Ear-Ach from Worms.*

254. Drop in *warm Milk*, and it brings them out :
 255. Or, Juice of *Wormwood*, which kills them :
 256. Or, Oil of *bitter Almonds*.

71. *Noise in the Ears.*

257. Drop in Juice of *Onions* :
 258. Or, fill them with with bruised *Hyssop*.

72. *Hard Wax in the Ear.*

259. Is best dissolv'd by *warm Water*.

73. *Eyes blear'd.*

260. Drop into them Juice of *Crab Apples*.

74. *A Blood-shot Eye.*

261. Apply Linnen Rags dipt in *cold Water* for two or three Hours :
 262. Or, blow in white *Sugar-candy* finely powder'd :
 263. Or, apply boil'd *Hyssop* as a Poultis. — This has a wonderful Efficacy.

75. *A Bruise in the Eye.*

264. Apply as a Plaister *Conserve of Roses* :
 265. Or, a Paste of *black Soap* and *white Bread Crums*. But take Care it get not into the Eye.

76. *Burning Eyes, or hot Rheum.*

266. Apply a thick *Apple paring*, lying down in Bed.

77. *Clouds flying before the Eyes.*

267. Take a Dram of powder'd *Betony* every Morning.

78. *Blind.*

78. *Blindness.*

268. Is often cured by *Cold Bathing*:

269. Or, by *electrifying*.

79. *Eyes dim or decay'd.*

270. Use *Eye-bright Tea* daily:

271. Or, powder'd *Eye bright*, both in Meat and Drink.

80. *Dull Sight.*

272. Drop in two or three Drops of Juice of *rotten Apples* often.

81. *Films.*

273. Dry *Zebethum Occidentals*; i. e. *Stercus humanum*. slowly; powder it fine, and blow it into the Eye twice or thrice a Day:

274. Or, mix Juice of *Ground-ivy* with a little *Honey*, and two or three Grains of *Bay Salt*. Drop it in Morning and Evening.

82. *Hot or Sharp Humors.*

275. Beat the White of an Egg into Water, in which mix fine *Sugar*, and drop it into the Eye:

276. Or drop in Juice of *Daisies* Morning and Evening:

277. Or, boil a Handful of *Bramble-leaves* with a little *Alum* in a Quart of Spring Water to a Pint Drop this frequently into the Eye. This likewise speedily cures any Sores.

83. *Eyes inflam'd.*

278. Apply as a Poultis *boil'd*, *roasted* or *rotten Apples* warm:

279. Or, *Wormwood-tops* with the *Yolk* of an Egg: This will hardly fail.

280. Or, beat up the White of an Egg with two Spoonfuls of *white Rose-water* into a white Froth. Apply this on a fine Rag, changing it so that it may not grow dry, till the Eye is well.

84. *A Lacrymal Fistula.* ¶

281. Apply a Poultis of fine leaves of *Rue*:

282.

¶ This Disorder in the inner Corner of the Eye, causes the Tears to flow involuntarily.

282. Wash the Eye Morning and Evening with a Decoction of *Quince-leaves* :
 283. Or, take a Dram of *Betony-leaves* powder'd daily.

85. *Pearl in the Eye.*

284. Apply a Drop of Juice of *Celandine* with a Feather thrice a Day :
 285. Or, of *three-leav'd Grass*. It commonly cures in seven Days.

86. *White Specks in the Eye.*

286. Going to Bed, put a little *Ear Wax* on the Speck.— This has cured many :
 287. Or, a Drop of the Juice of *Fennel* :
 288. Or, of *Ivy-juice* : Afterwards blow in a little powder'd *Loaf-sugar*.

87. *An excellent Eye-Water.*

289. Heat half an Ounce of *Lapis Caliminaris* red hot, and quench it in half a Pint of *French white Wine*, and as much *white Rose Water* : Then Pound it small and infuse it. Shake the Bottle when you use it. It cures Soreness, Weakness, and most Diseases of the Eye. I have known it cure total Blindness.

88. *Another.*

290. Infuse in *Lime-Water* a Dram of *Sal Armoniac* powder'd, for twelve Hours; then strain and keep it for Use. This also cures most Disorders in the Eyes.

89. *Another.*

291. Boil very lightly one Spoonful of *white Copperas* scrap'd and three Spoonfuls of *white Salt*, in three Pints of Spring Water. When cold, bottle it in large Vials without straining. Take up the Vial softly, and put a Drop or two in the Eye Morning and Evening.

It answers the Intention of almost all the proceeding Medicines : It takes away Redness or any Soreness whatever cures Pearls, Rheums, and often Blindness itself.

90. *Weak Eyes.*

292. Moisten the Eyes Morning and Evening with *compounded Spirits of Wine*, keeping them shut.
 293. Wash the Head daily with *cold Water*.

91. *The Falling Sicknefs. ¶*

294. Be *electrified*:
 295. Or use the *cold Bath* for a Month daily:
 296. Or, take a Tea-spoonful of *Piony Root* dried and grated fine, Morning and Evening for three Months:
 297. Or, Take a Spoonful of the Juice of *Rue*, Morning and Evening for a Month:
 298. Or, half a Pint of Decoction of *Lignum Guaiacum*, Morning and Evening: *I*.
 299. Or, of *Tar water* for three Months:
 300. Or, take four Drops of *Laudanum* tasting, for six or seven Mornings:
 301. Or, use an *entire Milk Diet* for three Months. It seldom fails:
 302. Or, take half a Dram of powder'd *Misselto* every six Hours, drinking after it a strong Infusion of *Misselto*: *I*.
 303. Or, the Quantity of a Nutmeg of Conserve of white *Piony Root*, daily for three Months:
 304. In the Fit, blow up the Nose a little powder'd *Ginger*:
 305. Or, Leaves of *Assarabacco* powder'd.

92. *The Falling of the Fundament.*

306. Apply a Cloth covered thick with *Brick Dust*:
 307. Or, boil a Handful of *red Rose Leaves* in a Quarter of a Pint of *red Wine*: Dip a Cloth in it, and apply it as hot as can be borne. Do this 'till all is used.

93. *A Falling down of the Womb.*

308. May be cured in the Manner last mentioned.

94. *A Fever.*

309. Drink a Pint and Half of *cold Water* lying down in Bed;
F
I never

¶ In the *Falling Sicknefs* the Patient falls to the Ground, either quite stiff, or convulsed all over, utterly senseless gnashing his Teeth, and foaming at the Mouth.

I never knew it do Hurt:

310. Or, a large Glass of *Tar-water* warm, every Hour:
 311. The best of all Juleps in a Fever, is this: Toast a large thin Slice of Bread, without Burning; put it hot into a Pint of cold Water; then set it on the Fire till it is pretty hot. In a dry Heat it may be given cold; in a moist Heat warm; the more largely the better:
 312. Or, for a Change, use *Pippin* or *Wood-serrel* Tea; Or, *Pippin Posset Drink*: Or *Wood-serrel Posset Drink*:
 313. Or, Decoction of *Violet-leaves*:
 314. Or, of *Strawberry-leaves*:
 315. To prevent catching any infectious Fever, do not breathe near the Face of the sick Person, neither swallow your Spit-
 tle while in the Room.

95. *A Burning Fever.*

316. Stamp a Handful of Leaves of *Woodbine*; put fair Water to it, and use it cold as a Clyster. It commonly cures in an Hour:
 317. Or, smear the Wrists, five or six Inches long with warm *Triacle*, and cover it with brown Paper.

96. *A Continual Fever.*

318. If not very violent, take a Dram of *Sal Prunellæ*, every four Hours, in warm Water, till it abates.

97. *A Heelick Fever.*

319. Drink only thin *Water-gruel*, or boil'd *Milk and Water*. The more you drink the better.

98. *A High Fever.*

320. Attended with a Delirium and Vigilia, has been cured by plunging into cold Water; which is a safe and sure Remedy in the Beginning of any Fever.
 321. Such a Delirium is often cured by applying warm *Lamb's Lungs* to the Head.

99. *An intermitting Fever.*

322. Drink warm *Lemonade* in the Beginning of every Fit: It cures in a few Days:
 323. Or,

323. Or, take a Tea-spoonful of Oil of Sulphur in a Cup of Balm Tea, once or twice a Day.

100. *A Fever with Pains in the Limbs.*

324. Take twenty Drops of Spirit of Hartshorn in a Cup of Water twice or thrice in twenty four Hours:

325. Or, in strong Camomile Tea, lying down in Bed.

101. *A Rash Fever.*

326. Drink every Hour a spoonful of Juice of Ground-Ivy. It cures in twenty-four Hours.

Use the Decoction, when you have not the Juice.

102. *A Slow Fever.*

327. Use the cold Bath for two or three Weeks daily.

103. *A Fistula.*

328. Grind an Ounce of Mercury Sublimate, in a Glass Mortar, with a Glass Pestle, as fine as possible. Put it into a Glass Bottle, and pour on it two Quarts of pure Spring Water. Cork it close, and for six Days shake it well every Hour. Then let it settle for twenty-four Hours. Pour it off clear; filter it in a Glass Funnel; and keep it for Use close stoppt. Put a Spoonful of this Water in a Vial, and add two Spoonfuls of pure Spring Water: Shake them well together, and drink it fasting. It works both by Vomit and by Stool, but very safely. Keep yourself very warm, and walk as much as you can. The first Time neither eat nor drink 'till two Hours after it has done working. Take this every other Day. In forty Days this will also cure any Cancer, any old Sore, or King's-Evil, broken or unbroken. After the first or second Vomit you may use Water-gruel, as in other Vomits.—*Very weak Persons should not use this.*

104. *A Flux.*

329. Use the cold Bath daily, and drink a Draught of Water from the Spring:

330. Or, sit over Camomile-Flowers boil'd in Milk:

331. Or,

331. Or, receive the Smoke of *Turpentine* cast on burning Coals. This cures also the *Bloody-Flux*, and the *Falling of the Fundament* :
332. Or drink two or three Quarts of *warm Water* :
333. Or, put a large brown Toast into three Quarts of *Water*, with a Dram of *Cochineal*, and a Dram of *Salt of Worm-wood*. Drink it all in as short Time as you conveniently can. This rarely fails to cure all *Fluxes*, *Cholera Morbus*, *Yea*, and *Inflammations of the Bowels* :
334. Or, take a Spoonful of *Plantain* ^{seed} bruised, Morning and Evening, till it stops :
335. Or, the *Leaves* of it boiled in small Broth :
336. Or, three or four Ounces of its *Juice* :
337. Or, a small *Nutmeg* powder'd in the Yolk of an Egg :
338. Or, a Dram of the Seed of *Flux-weed* in two or three Spoonfuls of Broth : *I*
339. Or, ten Grains of *Ipecacuanah* three Mornings successively :

105. *A Bloody Flux.*

340. Apply a Suppository of Linnen dipt in *Aqua Vitæ* :
341. Or, drink *cold Water* as largely as possible, taking nothing else, till the Flux stops :
342. Or, take a large *Apple*, and at the Top pick out all the Core, and fill up the place with a Piece of *Honey-Comb* ; (the Honey being strained out) roast the Apple in Embers and eat it, and this will stop the Flux immediately :
343. Or, thirty Grains of powder'd Root of *Gladiwin* at Night, twice or thrice a Week ; It is just as good as *Rhubarb* in most Cases :
344. Or, Decoction of *Primrose-leaves* Morning and Evening :
345. Or, grated *Rhubarb*, as much as lies on a Shilling, with half as much of of grated *Nutmeg*, in a Glass of white Wine, lying down every other Night.

106. *The Gout in the Stomach.*

346. " Dissolve two Drams of *Venice Treacle* in a Glass of *Mountain*. After drinking it go to Bed. You will be easier in two Hours, and well in sixteen." Dr. *Dover*.
347. Boil a Pencil of *Tansey* in a Quarter of a Pint of *Mountain*. Drink it in Bed. I believe this never

346. To prevent its Return, dissolve half an Ounce of Gum Guaiacum, in two Ounces of *Sol. Volatile*. Take a Teaspoonful in the every Morning, in a Glass of Spring Water.

This helps any sharp Pain in the Stomach.

Dr. Boerhaave.

107. *The Gout in the Foot or Hand.*

348. Apply a raw lean *Beef-steak*. Change it once in twelve Hours, till cured.

108. *The Gout in any Limb. †*

350. Rub the Part with *warm Treacle*, and then bind on a Flannel lineard therewith. Repeat this if Need be, once in twelve Hours. This has cured an inveterate Gout:

351. Or, Dry *Sage* in the Sun for a Day. Apply this, and in one Night it will ease the Pain.

352. Or at six in the Evening, undress and wrap yourself up in Blankets.—Then put your Legs up to the Knees in Water, as hot as you can bear it. As it cools, let hot Water be poured in, so as to keep you in a strong Sweat till ten. Then go into a Bed well warm'd and sweat till Morning.—I have known this to cure an inveterate Gout.

109. *The Gravel.*

353. Eat largely of *Spinach*:

354. Or, drink largely of *warm Water* sweetned with *Honey*:

355. Or, of *Peach-leave Tea*:

356. Or, of *Pellitory of the Wall Tea*, so sweetned:

357. Or, infuse an Ounce of *wild Parsley Seeds* in a Pint of *white Wine* for twelve Days. Drink a Glass of it fasting three Mornings.

110. *The Green Sickness.*

358. Take an Ounce of *Quick-silver* every Morning,—As Art. 39.

359. Or,

† Regard not them, The Gout ought not to be cured. They mean it cannot. But not by their regular Prescriptions.

359. Or, a Cup of of Decoction of *Lignum Guaiacum*, Morning and Evening.

III. To kill *Animalcula* that cause the Gums to waste away from the Teeth.

360. Gargle thrice a Day with Salt and Water.

III. The Head-ach.

361. Rub the Head for a Quarter of an Hour :

362. Or, be *electrified* :

363. Or, apply to each Temple the thin yellow Rind of a *Lemon*, newly pared off :

364. Or, pour into the Palm of the Hand a little *Brandy*, with some Zist of *Lemon*, and hold it to the Forehead :

365. Or, if you have catched Cold, boil a Handful of *Rosemary* in a Quart of Water Put th's in a Mug, and hold your Head (cover'd with a Napkin) over the Steam, as hot as you can bear. Repeat this 'till the Pain ceases.

366. Or, drop Juice of *Pimpernell* into the Ear :

367. Or, snuff up the Nose *camphorated Spirits of Lavender* :

368. Or, Juice of *Ground Ivy* : I.

369. Or, a little Juice of *Horse Radish* :

370. Or, drink half a Pint of strong Decoction of *Green-Ivy* : Morning and Evening.

III. A Chronical Head-ach.

371. Keep your Feet in warm Water a Quarter of an Hour before you go to Bed ; for two or three Weeks :

372. Or, wear tender *Hemlock-leaves*, under the Feet, changing them daily :

373. Or, order a Tea-kettle of cold Water to be poured on your Head every Morning in a slender Stream :

374. Or, apply to the Head bruised *Cummin-seed*, fried with an Egg :

375. Or, take a large Tea-cup full of *Cardus* Tea without Sugar fasting for six or seven Mornings :

376. Or, boil *Wood-betony* in new Milk and strain it. Breakfast on this five or six Weeks. I.

114. *Head-ach from Heat.*

377. Apply to the Forehead Cloths dipt in *cold Water* for an Hour:
 378. Or, beat white *Peppy-seed* to Powder ; mix this with Yolk of Eggs, and apply it to the Temples and Forehead.

115. *A Nervous Head-ach.*

379. Dry and powder an Ounce of *Marjoram* and half an Ounce of *Affarabacca*; mix them, and take them as Snuff, keeping the Ears and Throat warm. This is of great Use, even in a *Cancer* :
 380. Or, take half a Dram of powder'd *Marum* Morning and Evening in any Liquid.

116. *An Hemicrania. †*

381. Use *cold Bathing* :
 382. Or, apply to that Part of the Head shaved, a Plaster that will stick: with a Hole cut in the Middle of it, as big as an Half-penny: Place over that Hole Leaves of *Ranunculus*, bruised and very moist. It is a gentle Blister.

117. *Stoppage in the Head.*

383. Snuff up Juice of *Primrose*, keeping the Head warm.

118. *The Heart-Burning. ||*

384. Drink a Pint of *cold Water* :
 385. Or, drink slowly of decoction of *Camomile Flowers* :
 386. Or, chew five or six *Pepper Corns* a little ; then swallow them :
 387. Or, take six *Almonds* and twelve raw *Peas* and eat them together :
 388. Sometimes a *Vomit* is needful, of *Ipecacubana*, or *Cardus* Tea.

119. *The Hiccup.*

389. Swallow a Mouthful of Water, stopping the Mouth and Nose :
 390. () any Thing that makes you sneeze: 391

† Head-ach which affects but one Side of the Head.
 || with Pain at the Orifice of the Stomach,

391. Or, a little candied *Ginger* :
 392. Or, two or three preserv'd *Damsons*.

120. *Hoarseness.*

393. Rub the Soles of the Feet before the Fire, with *Garlick* and *Lard* well beaten together, over Night. The Hoarseness will be gone next Day :
 394. Or, take a Pint of cold Water lying down :
 395. Or instead of Supper eat an *Apple*, and drink half a Pint of Water
 396. Or, swallow slowly the Juice of *Radishes* :
 397. Or, take a spoonful of *Sage* juice Morning and Evening.

121. *Hypochondriac and Hysteric Disorders.*

398. Use cold *Bathing* :
 399. Or, take an Ounce of *Quicksilver* every Morning,

122. *The Jaundice.*

400. Wear Leaves of *Celandine* upon and under the Feet :
 401. Or, take a small Pill of *Caple Soap* every Morning for eight or ten Days :
 402. Or, as much as lies on a Shilling of calcin'd *Egg-shells*, three Mornings fasting ; and walk till you sweat :
 403. Or, half a pint of strong Decoction of *Nettles* :
 404. Or, boil a large *Burdock* root in two Quarts of Water to three Pints. Let it soak therein for twenty four Hours cover'd close. Drink a Draught of this three or four Times. and it will not fail.

123. *The Jaundice in Children.*

405. Take half an Ounce of fine *Rhubarb*, powder'd. Mix with it thoroughly, by long beating two Handfuls of good well cleansed *Currants*. Of this give a Tea-spoonful every Morning.

124. *The Bile Passion.* ‡

406. Apply warm Flannel soaked in *Spirits of Wine* :

407. Or

‡ In this violent Kind of *Cholic* the Extremities are thrown up by the Mouth in vomiting.

407. Or, hold a *live Puppy* constantly on the *Belly*.
—*Dr. Sydenham*.
408. Or immerge up to the *Breast* in the *warm Bath* :
409. Or, take a *Decoction* of the *Seed of Dill* in *Oil* and
Water, and then a *Bit of Bread* dipt in *Water* :
410. Or, *Ounce by Ounce*, a *Pound* or a *Pound* and a *half*
of *Quicksilver*.

125. *An Impostume,*

411. Put the *White* of two *Leeks* in a *wet Cloth*, and so
roast them in *Ashes*, but not too much. Stamp them in
a *Mortar* with a little *Hogs-grease*. Spread it thick *Plas-*
ter-wise, and apply, changing it every *Hour*, 'till all the
Matter be come out, which it will be in three *Times*. *I.*

126. *Pain in the Joints.*

412. Drink *Decoction* of *Herb Robert*, and apply it as a *Poultis*.

127. *The Itch.* *

413. Wash the *Parts* affected with *strong Rum* :
414. Or, with *strong Decoction* of *Dock-root* for nine or ten
Days :
415. Or, of *Hyssop*, four or five *Days* :
416. Or, anoint them with *black Soap* :
417. Or, steep a *shirt* half an *Hour* in a *Quart* of *Water* mixt
with half an *Ounce* of powder'd *Brimstone*. Dry it slowly,
and wear it five or six *Days*. Sometimes it needs repeating :
418. Or, mix *Powder* of *white Heleboe* with *Cream* for three
Days.—Anoint the *Joints* three *Mornings* and *Evenings*.
—It seldom fails.
419. Or, mix a little *fine Bay Salt*, and as much *Flour* of
Brimstone, with a little *sweet Oil*. Rub it well in the *Palms*
of the *Hands*, and dry it in.—It commonly cures in three
Days.
420. Or, beat together the *Juice* of two or three *Lemons*,
G with

* This Lister is nothing but a Kind of very small Lice which bur-
row under the Skin. Therefore inward Medicines are absolutely need-
less. Is it possible any Physician should be ignorant of this?

with the same Quantity of *Oil of Roses*. Anoint the Parts affected. It cures in two or three Times using:

421. Or, mix an Ounce of *Ginger* finely powder'd with a Quarter of a Pound of fresh Butter. Use it Morning and Evening.— It cures in four or five Days.

128. *The King's Evil.* ¶

422. Take as much *Cream of Tartar* as lies on a Six-pence, every Morning and Evening:

423. Or, drink for six Weeks half a Pint of a strong Decoction of *Devils-bit*:

424. Or, of *Ground-Ivy*:

425. Or, of *dead Nettles*:

426. Or, of *Colts-foot*: Mean time, apply the Herb beaten up with powder'd *Linseed* and *Hog's-lard*, to the Sores, renewing it twice a Day:

427. Or, use *Lime-water* for common Drink:

428. Or, the Diet-drink mentioned Art. 538.—

I have known this cure one whose Breast was as full of Holes as an Honey-comb:

429. Or, set a Quart of Honey by the Fire to melt. When it is cold, strew into it a Pound and a half of *Quick-Lime* beat very fine, and searfed through a Hair Sieve. Stir this about till it boil up of itself into a hard Lump. Beat this when cold very fine, and searse it, as before. Take of this as much as lies on a Shilling in a Glass of Water every Morning fasting; an Hour before Breakfast, at four in the Afternoon, and at going to Bed:

430. Or, take two Spoonfuls of Juice of *Water Parsnips*, with two Spoonfuls of *Milk*, every Morning fasting, for the six Summer Months. Two Hours after, breakfast on *Water-gruel* with a little Bread,

It cures the *Scurvey* in three Months.

129. *Stoppage in the Kidneys.*

431. Take twelve Grains of Salt of *Amber* in a little Water.

130. *The*

† It commonly appears first, by the Thickness of the Lips; then come Hard Swellings, in the Neck chiefly; then running Sores,

130. *The Legs inflam'd.*

432. Apply *Fullers Earth* spread on brown Paper :
It seldom fails.

433. Or, boiled *Turnips* mixt with *Mutton-suet* :

434. Or, rub them with warm Juice of *Plantane*.

131. *Legs sore and running.*

435. Wash them in *Brandy* and apply *Elder-leaves*, changing them twice a Day. This will dry up all the Sores, though the Leg were like an *Honey-comb*.—Proved.

132. *The Leprosy. †.*

436. Use the *cold-Bath* :

437. Or, wash in the *Sea* often and long :

438. Or, wash the Parts with Juice of *Calamint* :

439. Or, mix well an Ounce of *Pomatum*, a Dram of powder'd *Brimstone*, and half an Ounce of *Sal Prunelæ*; and anoint the Parts so long as there is Need :

440. Or, add a Pint of Juice of *Houfeleek*, and half a Pint of *Verjuice*, to a Pint and half of *Posset-drink*. Drink up this in twenty-four Hours.—It cures also the *Quinsey*, and all Sorts of white Swellings on the Joints :

441. Or, drink for a Month a Decoction of *Elm-Bark* Morning and Evening.

133. *The Lethargy.*

442. Snuff strong *Vinegar* up the Nose :

443. Or, Powder of *white Hellibore* :

444. Or, take half a Pint of Decoction of *Savoury*, Morning and Evening :

445. Or, of Infusion of *Water-Cresses*.

134. *Lice (to kill.)*

446. Sprinkle *Spanish Snuff* over the Head :

447. Or, wash it with a Decoction of *Amaranth*.

135. *For*

† In this Disease the Skin in many Parts is covered with rough, whitish, scaly Pustules, and if these are rub'd off, with a Kind of scaly Scurf.

135. For one seemingly kill'd with Lightning, or a Damp, or Suffocated.

448. Plunge him immediately into *cold Water* :

449. Or, blow strongly with Bellows down his Throat.— This may recover a Person seemingly drowned.

136. *Lues Venerea.*

450. Take an Ounce of *Quicksilver* every Morning, and a Spoonful of *Gas of Sulphur* in a Glass of Water at Five in the Afternoon. I have known a Person cured by this, when supposed to be at the Point of Death, who had been infected by a foul Nurse, before she was a Year old.— I insert this for the Sake of such *innocent* Sufferers.

137. *Lunacy.*

451. Give Decoction of *Agrimony* four Times a Day :

452. Or, rub the Head several Times a Day with *Vinegar*, in which *Ground-Ivy-leaves* have been infused :

453. Or, boil Juice of *Ground-Ivy* with *sweet Oil* and *White Wine* into an Ointment. Shave the Head, anoint it therewith, and chafe it in warm, every other Day for three Weeks. Bruise also the Leaves and bind them on the Head, and give three Spoonfuls of the Juice warm every Morning.— This generally cures *Melancholy*.

138. *Raging Madness.* ¶

454. Apply to the Head Cloths dipt in *cold Water* :

455. Or, let the Patient with his Head under a great *Waterfall*, as long as his Strength will bear: Or, pour Water on his Head out of a Tea-kettle :

456. Or, let him eat nothing but *Apples* for a Month.

139. *The Bite of a mad Dog.*

457. Apply Ashes of *Trefoil* mixt with *Hog's-lard*. This has cured one that was bit on the Nose :

458. Or, plunge into *cold Water* daily for twenty Days, and keep

¶ It is a sure Rule, that all Madmen are Cowards, and may be conquered by binding only, without beating. — Dr. Mead.

keep as long under it as possible. This has cured, even after the *Hydrophobia* was begun: *

459. *Galen* says, none ever failed of a Cure who took two Spoonfuls of *Ashes of Cray-Fish* daily for forty Days:
 460. Or, apply Juice of *Dracuntia* mixt with *Vinegar*, outwardly, and drink of the same Morning and Evening, five or six Days:
 461. Mix powder'd *Liver-wort* four Drams, *black Pepper* two Drams. Divide this into four Parts, and take one in warm Milk for four Mornings fasting.

140. *The Measles.* ‡

462. Drink only thin *Water-gruel*, or *Milk and Water*, the more the better; or, *Toast and Water*:
 463. If the Cough be very troublesome, take frequently a Spoonful of *Barley-Water* sweetened with *Oil of sweet Almonds* newly drawn, mixt with *Syrup of Maiden-hair*:
 464. After the Measles, for some Weeks, take Care of catching Cold, use light Diet, and drink *Barley-water* instead of Malt-drink.

141. *Menses Obstructed.*

465. Take half a Pint of strong Decoction of *Penny-Royal* every night at going to Bed:
 466. Or, a Spoonful of Juice of *Syrup of Brook-lime*, Morning and Evening:
 467. Or, a Tea-spoonful of *Columbine-seeds* powder'd, thrice a Day:
 468. Or, boil five large Heads of *Hemp* in a Pint of Water to half. Strain it, and drink it going to Bed two or three Nights. It seldom fails.
 469. Or, take from eight to twelve Grains of *Colomel*, in a Pill, for two or three Nights taking Care not to catch Cold. It vomits and purges
 470. Or, burn a little *Sulphur of Antimony* on a Chafing-Dish
 of

* If this is really a Nervous Disorder, what Wonder, if it should be cured by *Cold Bathing*?

‡ This Distemper is always preceded by a violent Cough, often fourteen Days before the red Spots come out.

of Coals, and receive the Smoke by a Funnel. In a few Minutes it will take Effect.

Let any of these Medicines be used at the regular Time as near as can be judged.

142. *Menses Nimii.*

471. Drink nothing but *cold Water*. with a Spoonful of fine *Flour* stirred in it. At the Time drink a Glass of the coldest *Water* you can get, and apply a thick Cloth dipt in cold *Water* :
472. Or, put the Feet into *cold Water* :
473. Or apply a Sponge dipt in *Red Wine* and *Vinegar* :
474. Or, bleed in the Arm. Stop the Orifice often with the Finger, and then let it bleed again :
475. Or, boil four or five Leaves of *Red Holy Oak* in a Pint of *Milk*, with a small Quantity of *Sugar*. Drink this in the Morning; if the Person can afford it, she may add a Tea-spoonful of *Balm of Gilead* :—This does not often fail :
476. Or, after a small *Rubarb* Purge, boil the Peel of seven *Seville Oranges* in three Pints of *Spring Water* to a Quart. Take ten Spoonfuls sweetned with white *Sugar*, four Times a Day :
477. Or, use daily Decoction, Syrup, or Powder of *Horsetail*, *Nettles*, or *Plantane*.

143. *To resolve Coagulated Milk.*

478. Cover the Woman with with a Table-cloth, and hold a Pan of *hot Water* just under her Breast; then stroke it three or four Minutes. Do this twice a Day 'till it is cured.

144. *To increase Milk.*

479. Drink a Pint of *Water* going to Bed :
480. Or, drink largely of *Pottage* made with *Lentils*.

145. *To make Milk agree with the Stomach.*

481. If it lie heavy, put a little *Salt* in it; if it curdle, *Sugar*. For bilious Persons, mix it with *Water*.

146. *Nervous Disorders.*

482. Are of two Kinds; 1. Those which proceed from the Nerves being compress'd by the Swelling of the muscular Flesh: Or, 2. When the Nerves themselves are disorder'd In the former Case, Temperance and Abstemiousness will generally cure: In the latter, when the Nerves perform their Office too languidly, a Good Air is the first requisite. The Patient also should rise early, and as soon as the Dew is off the Ground, walk: Let his Breakfast be *Mother of Thyme-Tea*, gather'd in *June*, using half as much as we do of common Tea. It should be drunk with the finest Sugar; and Cream may be added if he please: Coffee must be avoided. When the Nerves are too sensible, let the Person breathe a proper Air. Let him eat Veal, Chickens, or Mutton. Vegetables should be eat sparingly; the most innocent is the French Bean whilst young, and the best Root the Turnip. Wine should be avoided carefully: So should all Sauces. Sometimes he may breakfast upon a Quarter of an Ounce of the Powder of *Valerian-root* infus'd in hot Water, to which he may add Cream and Sugar. Tea is not proper. When the Person finds an uncommon Oppression, let him take a large Spoonful of the Tincture of *Valerian-root*.

The Tincture should be made thus. Cut to Pieces six Ounces of wild Valerian-root gather'd in June, and fresh dried. Bruise it by a few strokes in a Mortar, that the Pieces may be split, but it should not be beat into a Powder: Put this into a Quart of strong white Wine; cork the Bottle and let it stand three Weeks, shaking it every Day; then press it out and filtre the Tincture thro' Paper.

483. Take also as much as will lie on a Shilling of the Powder of *Mistleto*, twice a Day, when the Stomach is most empty, fasting two Hours after it; then once a Day, and afterwards every other, or every third Day, 'till there is no more Need of Medicines.

Let this Plant be gather'd in May, and the Leaves and Bark dried carefully in the free Air, without Sun, till they are brittle. Let them then be reduced to a fine Powder, and kept in that Form. Dr. Uvedale.

484. But I am firmly persuaded, there is no Remedy in Nature
for

for Nervous Disorders of every Kind, comparable to the proper and constant Use of the *Electrical Machine*.

147. *An old stubborn Pain in the Back.*

485. Steep Root of *Water-Fern* in Water, till the Water becomes thick and clammy. Then rub the Parts therewith Morning and Evening.

148. *The Palsy.* ||

486. Use the *cold Bath*, if you are under Fifty, rubbing and sweating after it:

487. Or, shred *white Onions*, and bake then gently in an earthen Pot, 'till they are soft. Spread a thick Plaster of this, and apply it to the benum'd Part, all over the Side, if need be. *I.*

488. Or, take *Tar-water*, Morning and Evening:

489. Or, boil *white* and *red Sage*, a Handful of each in a Quart of *white Wine*. Strain and bottle in. Take a small Glass Morning and Evening. This helps all Nervous Disorders.

490. Or apply to the Parts boil'd *Sage-leaves* hot: and drink Decoction of *Sage* Morning and Evening:

491. Or, of *Water-dock*, applying the *boil'd leaves*.

149. *Palsy of the Hands.*

492. Wash them often in Decoction of *Sage* as hot as you can bear:

493. Or boil a Handful of *Elder-leaves*, and two or three Spoonfuls of *Mustard seed* in a Quart of Water. Wash often in this, as hot as may be.

150. *Palsy of the Mouth.*

494. After Purging well, chew *Mustard seed* often:

495. Or, hold in your Mouth half an Ounce of *Spirit of Lavender*:

496. Or, gargle with Juice of *Wood-sage*.

151. *Palsy*

1. A *Palsy* is the Loss of Motion or Feeling, or both in any particular Part of the Body.

151. *Palsy from working with white Lead or Verdigrease.*

497. Use warm Baths and a Milk Diet.

152. *The Palpitation or Beating of the Heart.*

498. Drink a Pint of cold Water :

499. Or, apply outwardly a Rag dipt in Vinegar :

500. Or, be *electrified* :

501. Or, take a Decoction of *Mother-wort* every Night.

153. *The Piles (to prevent.)*

502. Wash the Parts often with cold Water.

154. *The Piles (to cure.)*

503. Apply warm Treacle :

504. Or, of *Tobacco-leaf* steep'd in Water twenty-four Hours :

505. Or, a Poultis of boil'd *Brook-Lime*. It seldom fails :

506. Or, a bruised *Onion* skin'd ; or roasted in Ashes. It perfectly cures the dry Piles :

507. Or, *Leeks* fried in Butter :

508. Or, *Varnish*. It perfectly cures both the blind and bleeding Piles. I.

155. *The Inward Piles.*

509. Drink largely of Treacle and Water :

510. Drink a Spoonful of Juice of *Yarrow*, or, of *Leeks*, three or four Mornings. I.

156. *The Plague (to prevent.)*

511. Eat *Marigold Flowers* daily, as a Sallad, with Oil and Vinegar :

512. Or, a little of the tops of *Rue* with Bread and Butter, every Morning :

513. Or, infuse *Rue*, *Sage*, *Mint*, *Rosemary*, *Wormwood*, of each a Handful, in two Quarts of the sharpest Vinegar, over warm Embers for eight Days. Then strain it through a Flannel, and add half an Ounce of *Camphire*, dissolved in three Ounces of rectified Spirits of Wine. With this wash

H

the

the Loins, Face, and Mouth, and snuff a little up the Nose when you go abroad. Smell to a Sponge dipt therein, when you approach infected Persons or Places.

157. *The Plague (to cure.)*

514. *Cold Water* alone, drank largely, has cured it:
 515. Or, an Ounce or two of the juice of *Marigolds*.
 516. Or, take a Dram of *Angelica* powder'd, every six Hours.
 It is a strong Sweat:
 517. Or, after bleeding fifty or sixty Ounces, drink very largely of *Water* sharpened with Spirit of *Vitriol*.
 518. Or a Draught of *Brine* as soon as seized; sweat in Bed; take no other Drink for some Hours.
 519. Use *Lemon-juice* largely in every Thing.

158. *The Pleurisy.**

520. Apply to the Side *Onions* roasted in the Embers, mixt with *Cream*:
 521. Or, take out the Core of an Apple, fill it with white *Frankinsence*; stop it close with the Piece you cut out, and roast it in Ashes. Mash and eat it. I.
 522. Or, a Glas of *Tar-water*, warm every half Hour:
 523. Or, of Decoction of *Nettles*; and apply the Herb, hot, as a Poultis:
 524. Or, a Plaister of *Flour of Brimstone* and *White of an Egg*.

159. *To one Poison'd*

525. Give one or two Drams of *distilled Verdigrease*. It vomits in an Instant.

160. *A Prick or Cut that festers.*

526. Apply *Turpentine*.

161. *An easy Purge.*

527. Drink a Pint of warmish *Water* fasting, walking after it:
 528. Or,

* A *Pleurisy* is a Fever attended with a violent Pain in the Side, and Pulse remarkably hard.

528. Or, infuse from half a Dram to two Drams of *Damask Rose-Leaves* dried, in half a Pint of warm Water for twelve Hours :

529. Or, infuse three Drams of *Sena*, and a Scruple of *Salt of Tartar*, in half a Pint of River Water for twelve Hours. Then strain and take it in the Morning.

162. *A stronger Purge.*

530. Drink half a Pint of strong Decoction of *Dock-Root* :

531. Or, two Drams of the powder'd Root of *Monks Rhubarb*, with a Scruple of *Ginger*.

163. *The Quinsy.**

532. Apply a large White-bread Toast, half an Inch thick, dipt in *Brandy*, to the crown of the Head till it dries.

533. Or, drink a Quart of cold Water lying down in Bed :

534. Or, swallow slowly *white Rose-water*, mixt with Syrup of *Mulberries* :

535. Or, Juice or Jelly of *black Currants*, or Decoction of the Leaves or Bark. I.—(See likewise Art. 592.)

164. *The Rheumatism.†*

536. Use the *cold Bath*, with Rubbing and Sweating :

537. Or, rub in warm *Treacle*, and apply to the Part a brown Paper smeared therewith : Change it in twelve Hours :

538. Or, drink very largely of warm Water in Bed :

539. Or, *Tar-water* Morning and Evening :

540. Or, steep six or seven Cloves of *Garlick* in half a Pint of white Wine. Drink it lying down. It sweats, and frequently cures at once :

541. Or, mix Flour of *Brimstone* with *Honey*, equal Quantities. Take three Tea-spoonfuls at Night, two in the Morning ; and one afterwards Morning and Evening, till cured. This succeeds oftner than any Remedy I have found :

542. Or.

* The *Quinsy* is, A Fever attended with Difficulty of Swallowing, and often Breathing.

† Rheumatical Pains are generally most violent as soon as you are warm in Bed.

542. Or, take Morning and Evening as much *Lignum Guaiacum* powder'd, as lies on a Shilling :
 543. Or, as much *Flour of Sulphur*, washing it down with a Decoction of *Lignum Guaiacum* :
 544. Or, live on *New Milk Whey* and *white Bread* for fourteen Days. This has cured in a desperate Case.

165. *To restore the Strength after a Rheumatism.*

545. Make a strong Broth of *Cow-beels*, and wash the Parts with it warm twice a Day. It has restored one who was quite a Cripple, having no Strength left either in his Leg, Thigh, or Loins.

166. *The Rickets (to prevent or cure.)*

546. Wash the Child every Morning in cold Water.

167. *Ring-Worms.*

547. Rub them with *Oil of Paper* :
 548. Or with Juice of *House-leek* :
 549. Or, wash them with Decoction of *Soap-wort* ; or *Hungary-water* camphorated.

168. *Running at the Nose.*

550. Snuff up a Tea-Spoonful of Spirit of *Hartshorn*.

169. *A Rupture.*

551. Take *Agrimony*, *Spleenwort*, *Solomon's Seal*, *Strawberry-roots*, a Handful each ; pick and wash them well ; stamp and boil them two Hours, in two Quarts of white Wine in a Vessel close stoppt. Strain and drink a large Glass of this every Morning, and an Hour after drink another. It commonly cures in a Fortnight. A good Truss mean Time is of great Use.

170. *A Fresh Rupture.*

552. Take Decoction of *Plantane-leaves*, Morning and Evening :
 553. Or, dry a Spoonful of *Plantane-seed* by the Fire ; boil it in Milk, and take half a Pint every Morning.

171. *A Rupture in Children.*

554. Boil a Spoonful of *Egg-shells* dried in an Oven and powder'd, in a Pint of Milk to three Quarters of a Pint. Feed the Child constantly with Bread boil'd in this Milk.

172. *A Windy Rupture.*

555. Warm *Cow-dung* well. Spread it thick on Leather, strowing some *Cummin-seeds* on it, and apply it hot. When cold put on a new one. It commonly cures a Child (keeping his Bed) in two Days.

173. *A Scald Head.*

556. Anoint it with *Barbadoes Tar*.

174. *The Sciatica.**

557. Is certainly cured by taking a Purge in a few Hours after it begins:
558. Or, use *cold Bathing*, and sweat, together with the Flesh-brush twice a Day.
559. Or, apply Leaves of *Ranunculus* bruised, for six Hours.
560. " Many have been cured in four or five Days, only by drinking half a Pint of *cold Water* daily, in the Morning, and at Four in the Afternoon."
561. Or, apply pounded Roots of *Burdock* and of *Elicompane* cold. This usually cures, if kept on twenty-four Hours; but it gives Pain:
562. Or, boil *Nettles* till soft. Foment with the Liquor, then apply the Herb as a Poultis.—I have known this cure a Sciatica of forty five Years standing.
563. Or, boil *Calamint*; apply this as a Poultis, shifting it daily. Mean-time drink a Decoction of it Morning and Evening.
564. Or, apply Flannels dipt in *stale Lie*, boil'd with Salt as hot as you can bear, for an Hour.

175. *Inflammation;*

* The *Sciatica* is a violent Pain in the Hip, chiefly in the Joint of the Thigh Bone.

175. *Inflammations or Swellings of the Scrotum.*

565. Wash it thrice a Day with strong Decoction of *Agrimony*.

176. *A Scorbutick Atrophy.*†

566. Use *cold Bathing* : Which also cures all.

177. *Scorbutick Pains.*

178. *Scorbutick Sores.*

567. Put half a Pound of fresh shaved *Lignum-vitæ* and half an Ounce of *Sena* into an Earthen Pot, that holds six Quarts. Add five Quarts of soft Water, and lute the Pot close. Set this in a Kettle of cold Water, and put it over a Fire, till it has boiled three Hours. Let it stand in the Kettle till cold. When it has stood one Night drink daily half a Pint, new Milk warm, fasting, and at four in the Afternoon. Wash with a little of it. In three Months all the Sores will be dried up.

179. *The Scurvy* †

568. Live on *Turnips* for a Month :

569. Or, an entire *Milk Diet*, for six Months :

570. Or, take *Tar-water* Morning and Evening, for three Months :

571. Or, Infusion of *Horse-radish* :

572. Or, Decoction of great *Water-Dock*.

573. Or, three Spoonfuls of *Nettle Juice* every Morning :

574. Or, infuse dried *Dock-roots* in your common Drink :

575. Or, use Infusion or Powder of *Wall-rue*, Morning and Evening.—See Art. 430.

576. Or, pound into a Pulp *Sevil Oranges* sliced, Rind and all, and Powder Sugar equal Quantities. Take a Teaspoonful three or four Times a Day. I.

577. Water

† Such a Degree of the *Scurvy*, as causes the Flesh to waste away, like a *Consumption*.

† The *Scurvy* is known by Heaviness of Body, Weariness, Rottenness of Gums, and yellow, lead or violet coloured Spots on the Legs.

577. Water and Garden Cresses, Mustard, and Juice of Scurvy-grafs help in a cold Scurvy :

578. When there is a continual salt Taste in the Mouth, take a Pint of *Lime-Water* Morning and Evening.

180. *A Broken Skin.*

579. Bind a dry *Oak-leaf* upon it.

181. *The Shingles.* ‡

580. Drink a Pint of *Sea-Water* every Morning for a Week; toward the Close, bathe also.

182. *Sickness in the Morning.*

581. Eat nothing after Six in the Evening.

183. *Skin rubbed off.*

582. Apply pounded *Self-beal*.—It seldom needs repeating.

184. *Small Pox.*

583. Drink largely of *Toast* and *Water* :

584. Or, let your constant Drink be *Milk* and *Water* mixt.

585. The best Food is *Milk* and *Apples* :

586. Or, *Bread* dipt in *Milk* and *Water*.

587. Take care to have a free, pure, and cool Air. Therefore open the Casement every Day, only do not let it chill the Patient.

588. If they strike in, and Convulsions follow, drink a Pint of *cold Water* immediately. This instantly stops the Convulsions, and drives out the Pock.

185. *A Sore Mouth.*

589. Apply the White of an *Egg*, beat up with *Loaf-sugar*.

590. Or, gargle with Juice of *Cinquefoil*.

186. *A Sore*

‡ A Kind of *Ring-Worm*, which incircles the Body, like a Belt, of an Hand's Breadth.

186. *A Sore Throat.*

591. Take a Pint of *cold Water*, lying down in Bed :
 592. Or, apply a Chin-stay of *roasted Figs* :
 593. Or, a Flannel sprinkled with Spirits of *Hartshorn* to the Throat, and rub *Hungary water* on the Top of the Head :
 594. Or, gargle with *Rose-water*, and Syrup of *Mulberries* :
 595. Or, snuff a little *Honey* up the Nose.
 596. An old sore Throat was cured by living wholly on *Apples* and *Apple-water*.

187. *A Sprain.*

597. Hold the Part in very *cold Water* for two Hours :
 598. Or, apply Cloths dipt therein, four Times doubled, for two Hours, changing them as they grow warm :
 599. Or, bathe it in good *Crab-verjuice* :
 600. Or, steep it with one Spoonful of *Brandy*, to one of *Vinegar*, and four of *Water* :
 601. Or, boil *Bran* in *Wine Vinegar* to a Poultis. Apply this warm, and renew it once in twelve Hours :
 602. Or, boil eight Ounces of *Castile-soap* and as much *Bay-salt* in four Quarts of *Water*. Put the Part sprained into this for half an Hour; or, foment with it :
 603. Or, mix a little *Turpentine* with Flour and the Yolk of an Egg; and apply it as a Plaster. This cures in a desperate Case.
 604. *Weakness* remaining after a Sprain, is cured by fomenting the Part daily with *Beef-Brine*.

188. *A venomous Sting.*

605. Apply a little *Venice Treacle* :
 606. Or, a Poultis of bruised *Plantane* and *Honey*.
 607. Or, take inwardly, one Dram of *black Currant-leaves powder'd*. It is an excellent Counter-poison.

189. *The Sting of a Bee.*

608. Apply *Honey*.

190. *The Sting of a Nettle.*

609. Rub the Part with Juice of *Nettles*.

191. *The Sting of a Wasp.*

610. Rub the Part with bruised Leaves of *House-leek* :
 611. Or, of *Water-cresses* :
 612. Or, of *Rue* :
 613. Or, apply *Venice Treacle*.

192. *The Sting of a Bee or Wasp in the Eye.*

614. Apply *Carduus* bruised, with the White of an Egg.
 Renew it if it grows dry.

193. *A Stick in the Side.*

615. Apply *Treacle* spread on a hot Toast.

194. *Frequent or violent Stitches.*

616. Drink Decoction of *Nettles*, and apply the Herbs hot :
 617. Or, boil two or three Sprigs of *Penny-royal* in a Pint of Milk. Drink the Milk, and apply a Poultis of the Herbs hot :
 618. Or, take a Tea-spoonful of *Irish Slate* finely powder'd.

195. *Accidental Sicknes, or Pain in the Stomach.*

619. Vomit with a Quart or more of warm Water. Do this twice or thrice, omitting a Day between.

196. *Pain in the Stomach from bad Digestion.*

620. Take fasting, or in the Fit, half a Pint of *Camomile Tea*.
 Do this five or six Mornings :
 621. Or, drink the Juice of half a large *Lemon* immediately after Dinner every Day :—*Dr. Mead*.
 622. Or, from twenty to forty Drops of *Elixir of Vitriol* in *Sage Tea*, twice or thrice a Day :
 623. Or, in the Fit, a Glass full of *Vinegar*.

197. *Cholerick, Hot Pains in the Stomach.*

624. Take half a Pint of the Decoction of *Ground-ivy*, with a Tea-spoonful of the Powder of it, five or six Mornings.
 I.

198. *Coldness in the Stomach.*

625. Take a Spoonful of the Syrup of the Juice of *Carduus Benedictus*, fasting for three or four Mornings. I.

199. *Pain in the Stomach, with Coldness and Wind.*

626. Swallow five or six Corns of *white Pepper*, for six or seven Mornings.

200. *The Stone (to prevent.)*

627. Eat a thin Slice of *dry Bread* every Morning:

628. Or drink a Pint of *warm Water* daily just before Dinner. After discharging one Stone, this will prevent the generating of another.

629. Stoop down, and raise yourself up again. If you feel Pain, as if cut thro' the Middle, the Pain is not from the Stone, but *Rheumatism*.

630. Beware of Costiveness. Use no violent Diuretics. Mead is a proper Drink.

631. In the Fit, slice a large *Onion*; pour half a Pint of warm Water upon it. After it has stood twelve Hours, drink the Water. Do this every Morning till you are well.

201. *In a Raging Fit.*

632. Beat *Onions* into a Pulp, and apply them as a Poultice, Part to the Back, and Part to each Groin. It gives speedy Ease in the most racking Pain:

633. Or, give a Clyster with Oil of *Turpentine*.

202. *The Stone (to ease or cure.)*

634. Take Decoction of *Agrimony* Morning and Evening.

635. Or of *Camomile*.

636. Or, boil half a Pound of *Parsnips* in a Quart of Water. Drink a Glass of this Morning and Evening; and use no other Drink all the Day.—It usually cures in six Weeks:

637. Or, take daily four Pints of *Lime-water*, made by pouring four Quarts of Water on a Pound of fresh calcined *Oyster-shells* and *Cockle-shells*.

638. “ Or, take Morning and Evening a Tea-Spoonful of
Onions

Onions calcined into white Ashes, in white Wine. An Ounce will often dissolve the Stone."

639. Or, take a Tea-spoonful of *Violet-seed* powdered, Morning and Evening. It both wastes the Stone, and brings it away:

640. Or, burn the dried Shells of *Kidney Beans* to Powder: Put two Tea-spoonfuls of this into a half Pint Tea-pot. Pour boiling Water on it at Night. In the Morning pour it off clear, warm it again, and drink it sweetened with *Honey*. Do this daily every other Fortnight till cured.

203. *The Stone in the Kidneys.*

641. Use the *cold Bath*: Or, drink half a Pint of Water every Morning:

642. Or, Decoction of *Speedwell* largely.

204. *Stoppage in the Kidneys.*

643. Take Decoction of Juice or Syrup of *Ground-ivy*, Morning and Evening:

644. Or, of *Pellitory of the Wall*:

645. Or, of Juice of *Radishes*:

646. Or, half a Pint of *Tar-water*.

205. *The Stranguary.*

647. Use the *cold Bath*:

648. Or, drink largely of Decoction of *Turnips* sweetened with *Honey*.

649. Or, of warm *Lemonade*: I.

650. Or, of Decoction of *Mallows*:

651. Or of Decoction of *red Nettle-seed*:

652. Or, take a Tea-spoonful of *calcin'd Egg-shells*, Morning and Evening.

206. *Sunburn, (smarting.)*

653. Wash the Face with *Sage-tea*.

207. *To stop profuse Sweating.*

654. Drink largely of cold Water.

208. *Swelled*

—
—
—

208. *Swelled Glands in the Neck.*

655. Take half a Pint of *Sea-water* every other Day.

209. *Swelled Legs.*

656. Bathe them every Morning in *cold Water*, and take an easy *Purge* twice a Week:

658. Or, take *Wormwood*, *Southerwood* and *Rue*, stamp them together, and fry them in *Honey*, till they grow dry: Then apply them as hot as you can bear.

210. *A Swell'd Throat.*

659. Gargle with Decoction of *Nettles*:

660. Or, of *Primrose-leaves*.

211. *A white Swelling (on the Joints.)*

661. Hold the Part half an Hour every Morning, under the *Stream* that falls from a Mill; or under a Pump or Cock.— This cures also any Pains in the Joints. It seldom fails.

662. Or, apply a Poultis of *Wormwood* fryed with *Hogs Lard*.

212. *To dissolve white or hard Swellings.*

663. Take *white Roses*, *Elder Flowers*, *Leaves of Fox-glove* and of *St. John's Wort*, a Handful each: Mix with *Hogs-Lard*, and make an Ointment.

213. *To fasten the Teeth.*

664. Chew often *Roots of Brook-Lime*:

665. Or, put powder'd *Allum* the Quantity of a Nutmeg, in a Quart of *Spring Water*, for twenty-four Hours. Then strain the Water and gargle with it:

666. Or, boil so much of *Allum* therein. Strain and keep it for Use;

667. Or, gargle often with *Phyllyrea leaves* boiled with a little *Allum*, in *Forge-water*.

214. *To clean the Teeth.*

668. Rub them with *Ashes* of burnt Bread.

215. *To*

215. *To prevent the Tooth-ach.*

669. Wash the Mouth with *cold Water* every Morning.
 670. Or, rub the Teeth often with *Tobacco Ashes*.

216. *To cure the Tooth-ach.*

671. Be *electrified* through the Tooth :
 672. Or, rub the Cheek a Quarter of an Hour :
 673. Or, put a Clove of *Garlick* into the Ear :
 674. Or, *Parsley* much bruised, with a little *Bay Salt* :
 675. Or, a Piece of *Plantane-root*, fresh digg'd up, and washed :
 676. Or, lay roasted Parings of *Turnips*, as hot as may be, behind the Ear :
 677. Or, put a Leaf of *Betony*, bruised, up the Nose :
 678. Or, lay bruised or boil'd *Nettles* to the Cheek :
 679. Or, a Bag filled with *hot Camomile Flowers* :
 680. Or, lay a Clove of *Garlick* on the Tooth :
 681. Or, chew the Root of the *yellow Water Flower de Euce* : I.
 682. Or, gargle with Decoction of *Mulberry Leaves* :
 683. Or, put into the hollow Tooth, a little Cotton, dipt in *Lucatell's Balsam* :
 684. Or, a Drop or two of *Oil of Cloves* on Cotton :
 685. Or, dissolve a Dram of crude *Sal Armoniac* in two Drams of *Lemon-juice* : Wet Cotton herein and apply :
 686. Or, apply to the Cheek *Gum Tacamahac* spread on Silk :
 687. Or, keep the Feet in *warm Water*, and rub them well with Bran, just before Bed-time :
 688. Or, take an Ounce of *Rob of Elder* in Broth, and gargle with it.

217. *Pain in the Testicles.*

689. Apply *Pellitory* of the *Wall* beaten up into a Poultice, changing it Morning and Evening.

218. *To draw out Thorns, Splinters and Bones.*

690. Apply *Nettle Roots* and *Salt* :
 691. Or, *Turpentine* spread on *Leather* :

219. *The Thrush.**

692. Mix Juice of *Celandine* with *Honey*, to the Thickness of *Cream*. Infuse a little powder'd *Saffron*. Let this simmer a while and scum it. Apply it (when needed) with a Feather. At the same Time give eight or ten Grains of *Rhubarb*.

220. *Torpor (or Numbness) of the Limbs.*

693. Use the *cold Bath*, with Rubbing and Sweating.

221. *Twisting of the Guts.*

694. Many at the Point of Death have been cured by taking one, two or three Pounds of *Quicksilver* in Water—*Pareus*.

222. *The Tympany or Windy Dropsy.*

695. Use the *cold Bath*, with Purges intermixt :

696. Or, mix the Juice of *Leeks* and of *Elder*. Take two or three Spoonfuls of this Morning and Evening.

223. *A Vein or Sinew cut.*

697. Apply the inner green Rind of *Hazle* fresh scraped.

224. *The Vertigo or Swimming in the Head.*

698. Take a *Vomit* or two :

699. Or, use the *cold Bath* for a Month :

700. Or, drop Juice of *Pimpernell* into the Ear Morning and Evening.

701. Or, in a *May* Morning, about Sun-rise, snuff up daily the *Dew* that is on *Mallow Leaves* :

702. Or, apply to the Top of the Head, shaven, a Plaister of Flour of *Brimstone*, and white of Eggs :

703. Or, drink Morning and Evening half a Pint of Decoction of *Primrose-root* : *L*.

704. Or, of *Sage* washing also the Head, therewith :

705. Or, take every Morning half a Dram of *Mustard-seed*.

225. *Vigilia,*

* Little, whitish Ulcers in the Mouth.

225. *Vigilia, Inability to Sleep.*

706. Apply to the Forehead for two Hours, Cloths four Times doubled, and dipt in *cold Water*. I have known this applied to a lying-in Woman, and her Life saved thereby :

707. Or, use the *cold Bath*.—It cures even in desperate Cases :

708. Or, apply to the Head Leaves of *water Lillies* :

709. Or, a Poultis of *Henbane* and *Poppy seed*, beaten together :

710. Or, use small Doses of *Camphire*. It is both safer and surer than *Opium*.

226. *Bite of a Viper or a Rattle-Snake.*

711. Rub the Place immediately with *common Oil*. *Quere*, Would not the same cure the Bite of a *mad Dog*? Would it not be worth while, to make the Trial on a *Dog*?

227. *To prevent the Bite of a Viper.*

712. Rub the Hands with Juice of *Radishes*.

228. *An Ulcer.*

713. Dry and powder a *Walnut Leaf*, and strew it on, and lay another *Walnut Leaf* on that :

714. Or, boil *Walnut-tree Leaves* in Water, with a little Sugar. Apply a Cloth dipt in this, changing it once in two Days.

229. *An Inward Ulcer.*

715. Drink *Tar-water* Morning and Evening :

716. Or, Decoction of *Pimpernel*.

230. *Ulcer in the Bladder or Kidneys.*

717. Take Decoction of *Agrimony*, thrice a Day :

718. Or, Decoction, Powder, or Syrup of *Horse-tail*.

231. *A Fistulous Ulcer.*

719. Apply *Wood Betony* bruised, changing it daily :

720. Or, Leaves of *Water Dock* bruised.

232. *A Bleeding Varicous Ulcer in the Leg.*

721. Was cured only by constant *cold Bathing*.

233. *A Malignant Ulcer.*

722. Foment Morning and Evening, with a Decoction of *Mint*. Then sprinkle on it finely powder'd *Rue*:

723. Or, apply Juice of *Pimpernel* boiled with the Herb.

234. *A Stubborn Ulcer.*

724. Burn to Ashes (but not too long) the gross Stalks on which the *red Coleworts* grow. Make a Plaister with this and fresh Butter. Change it once a Day.

725. Or, apply a Poultis of boil'd *Parfnips*. This will cure even when the Bone is foul.

235. *An easy and safe Vomit.*

726. Boil half a Handful of *Artichoke-leaves* in a Quart of Water. The more you drink of warm Water after it the better:

727. Or, a Dram and a half of *Primrose Root* powder'd: It is best if gather'd in *August*.

728. Or, infuse three Drams of *Radish-seed* in a Quart of warm Water for twelve Hours. Squeeze off the Water, and take it.

236. *To stop Vomiting.*

729. If the Vomiting be not the Effect of a Medicine: after every Vomiting drink a Pint of warm Water:

730. Or, apply a large *Onion* slit, to the Pit of the Stomach: *I.*

731. Or, take a Spoonful of *Lemon-juice* and six Grains of Salt of Wormwood:

732. Or, infuse an Ounce of *Quick-silver* in a large Glas full of Water for twenty four Hours. Then drink the Water: *I.*

237. *Bloody Urine.*

733. Take a Quarter of a Pint of *Sheeps Milk* twice a Day:

734. Or, half a Pint of Decoction of *Agrimony*:

735. Or, of Decoction of *Yarrow*.

238. *Urine by Drops with Heat and Pain:*736. Drink nothing but *Lemonade*:737. Or, beat up the Pulp of five or six roasted *Apples* with near a Quart of Water. Take it at lying down. It commonly cures before Morning.239. *Involuntary Urine.*738. Use the *cold Bath*:739. Or, take a Tea-spoonful of powder'd *Agrimony* in a little Water, Morning and Evening.740. Or, a Quarter of a Pint of *Allum-Poffet-Drink* every Night.240. *Sharp Urine.*741. Take two Spoonfuls of fresh Juice of *Ground-Ivy*.241. *Suppression of Urine.*742. Drink largely of warm *Lemonade*:743. Or, take a Spoonful of Juice of *Lemons*, sweeten'd with Syrup of *Violets*:744. Or, a Spoonful of Juice of *Radishes*:745. Or, two Spoonfuls of Juice of *Onions*:242. *Uvula inflamed.* *746. Gargle with a Decoction of beaten *Hemp-Seed*:747. Or, with Decoction of *Dandelion*.243. *Uvula relax'd.*748. Bruise the Veins of a *Cabbage-leaf*, and lay it hot on the Crown of the Head. Repeat, if needed, in two Hours: *I*.749. Or, gargle with Decoction of *Water Dock*:750. Or, with Infusion of *Mustard-seed*:244. *Warts.*751. Rub them daily with a *Radish*:

K

752. Or,

* This is usually called the Palate of the Mouth.

752. Or, with Juice of *Dandelion* :
 753. Or, of *Marigold-Flowers* :
 754. Or, Water in which *Sal Armoniac* is dissolved.

245. *The Whites.*

755. Feed sparingly. Use Exercise constantly. Sleep moderately but never lying on your Back.
 756. First bleed. Then purge thrice with twenty Grains of *Rhubarb* and five of *Calomel* :
 757. Or, boil four or five Leaves of the *white Holy Oak*, in a Pint of Milk with a little Sugar. Then add a Tea-spoonful of *Balm of Gilead*. Drink this every Morning. I.
 758. Make *Venice Turpentine*, *Flour* and *fine Sugar*, equal Quantities, into small Pills. Take three or four of these Morning and Evening. This also cures most Pain in the Back :
 759. Or, *Quick-silver* and *Gas of Sulphur*, as for an Asthma. This seldom fails :
 760. Or, after Purging, take about fifteen Grains of *Ceruse of Antimony* in *white Wine*, twice or thrice a Day.

246. *A Whitlow.*

761. Apply a Poultis of *chew'd Bread*. Shift it once a Day :
 762. Or, a Plaister of *Ground-Ivy* stampd.

247. *Weakness in the Ankles.*

763. Hold them in *cold Water* a Quarter of an Hour, Morning and Evening.

248. *Worms.**

764. Take a Spoonful of *Salt* in a Glass of Water every Morning :
 765. Or, a Dram and Half of *Nitre* in in Broth : I.
 766. Or, a Spoonful of Juice of *Spear-mint* :
 767. Or, of Juice of *Lemons* :

768. Or,

* A Child may be known to have the Worms, by Chillness, Paleness, hollow Eyes, Itching of the Nose, Starting in Sleep, and an unusually stinking Breath.---Worms are never found in Children who live wholly on Milk.

768. Or, a Glafs of *Onion-water* :
 769. Or, boil an Ounce of *Quick-filver* in half a Pint of Spring Water. Use this for common Drink:
 770. Or, take two Tea-spoonfuls of *Worm-feed* mixt with *Treacle* for fix Mornings:
 771. Or, a Dram of powder'd *Fern-root*, boil'd in *Mead*. This kills both the flat and round Worms. Repeat the Medicine from Time to Time.

249. Flat Worms.

772. Take *Filingr of Tin* and *red Coral*, of each an equal Quantity: Pound them together into a very fine Powder: Of which one Drachm, made into a Bolus with *Conserve of the Tops of Sea-worm-wood*, is to be taken twice a Day.

250. Wounds.

773. Apply Juice or Powder of *Yarrow*. I.
 774. Or, bind Leaves of *Ground-Ivy* upon it:
 775. Or, bruised *Hyssop*, with a little Sugar:
 776. Or, *Wood-betony* bruised. This quickly heals even cut Veins and Sinews, or draws out Thorns or Splinters.
 777. Keep the Part in *cold Water* for an Hour, keeping the Wound closed with your Thumb. Then bind on the thin Skin of an *Egg-shell*, for Days or Weeks, till it fall of itself. Regard not tho' it prick or shoot for a Time.

251. Inward Wounds.

778. Infuse *Yarrow* twelve Hours in warm Water. Take a Cup of this four Times a Day. I.

252. Putrid Wounds.

779. Wash them Morning and Evening with warm Decoction of *Agrimony*. If they heal too soon, and a Matter gather underneath, apply a Poultis of the Leaves pounded, changing them once a Day, till well.

253. Wounded Tendons.

780. Boil *Comfrey Roots* to a thick Mucilage, and apply this as a Poultis, changing it once a Day.

COLD BATHING

Cures Young Children of

CONVULSIONS,
 Coughs,
 Cutaneous Inflammations, Pimples, and Scabs,
 Gravel,
 Gripes,
 Inflammations of the Ears, Navel or Mouth,
 Rickets,
 Suppression of Urine,
 Vomiting,
 Want of Sleep,

It prevents the Growth of Hereditary

Apoplexies,
 Asthma's,
 Blindness,
 Consumptions,
 Deafness,
 Deliria,
 Gout,
 King's-Evil,
 Melancholy,
 Palsies,
 Rheumatism,
 Stone.

It cures every Nervous, † and every Paralytick Disorder:
 in particular,

The Asthma,
 Ague of every Sort,
 Atrophy,

Blind-

† And this, I apprehend, accounts for its frequently curing the *Bite of a mad Dog*; especially if it be repeated for twenty-five or thirty Days successively.

Blindness,*
 Cancer,
 Chorea Sancti Viti,
 Chin-cough,
 Coagulated Blood after Bruises,*
 Consumptions,
 Convulsions,
 Coughs,
 Complication of Distempers,
 Convulsive Pains,*
 Deafness,*
 Dropsy,
 Epilepsy,
 Flour Albus,
 Violent Fevers,
 Gout (running)
 Heſtick Fevers,
 Hemicrania,
 Hyſterick Pains,*
 Incubus,
 Inflammations,*
 Involuntary Stool, or Urine,*
 Lameness,
 (Old) Leproſy,
 Lethargy,
 Loſs of Appetite,* of Smell,* Speech,* Taſte,*
 Nephritick Pains,
 Palpitation of the Heart,
 Pain in the Back, Joints,* Stomach,
 Rheumatifms,*
 Rupture,
 Suffocations,
 Sciatica,*
 Surfeits, (at the Beginning)
 Scorbutick Pains,*
 Swelling on the Joints,
 Stone in the Kidneys,
 Torpor of the Limbs, even when the Uſe of them is loſt,
 Tetanus,
 Tympany,

Vertigo,

Vertigo,
St. Vitus' Dance,
Vigilia,
Varicous Ulcers,

But in all Cases where the Nerves are obstructed, (such as those marked thus*) you should go to Bed immediately after, and sweat.

'Tis often useful, to use the *hot Bath* a few Days before you use the *Cold*.

Wise Parents should dip their Children in cold Water every Morning, till they are three Quarters old; and afterwards, their Hands and their Feet.

N. B. No Child shall ever be swath'd tight. It lays the Foundation for many Diseases.——'Tis best to wean a Child at about seven Months old. They should lie in the Cradle at least a Year. No wise Parent should suffer a Child to drink any *Tea*; (at least, till it is ten or twelve Years old) or to taste Spice or Sugar. Milk, Milk-porridge, and Water-gruel are the proper Breakfast for Children.

Washing the Head every Morning in cold Water, prevents Rheums, and cures Coughs, old Head-achs, and sore Eyes.

Water-drinking prevents

Apoplexies,
Asthma's,
Convulsions,
Gout,
Hysterick Fits,
Madness,
Palsies,
Stone,
Trembling,

To this Children should be bred up from their Cradles.

Electrifying in a proper Manner, cures
St. Anthony's Fire,

Blindness,

Blindness,
 Blood extravasated,
 Bronchacele,
 Coldness in the Feet,
 Contractions of the Limbs,
 Cramp,
 Deafness,
 Falling-Sickness,
 Feet violently disorder'd,
 Felons,
 Fistula Lacry malis,
 Fits,
 Ganglions,
 Gout,
 Head-ach,
 Inflammations,
 King's Evil,
 Knots in the Flesh,
 Lameness,
 Leprosy,
 Mortifications,
 Pain in the Stomach,
 Palpitation of the Heart,
 Palsy,
 Rheumatism,
 Ring-Worms,
 Sciatica,
 Shingles,
 Sprain,
 Surfeit,
 Swelling of all Sorts,
 Throat sore,
 Tooth-ach,
 Wen.

Nor have I yet known one single Instance, wherein it has done Harm : So that I cannot but doubt the Veracity of those which have affirmed the contrary.

Fasting Spittle outwardly applied every Morning, has sometimes relieved, and sometimes cured

Blindness,

Blindness,

Corns, (mixt with chew'd Bread and applied every Morning)

Cuts, (fresh)

Deafness,

Eye-lids, red and inflamed,

Scorbutick Tetters,

Sore Legs,

Warts,

Taken inwardly, it relieves or cures

Asthma's,

Cancers,

Falling Sickness,

Gout,

Gravel,

King's Evil,

Leprosy,

Palsy,

Rheumatism,

Scurvy,

Stone,

Swelled Liver,

The best Way is, to eat about an Ounce of hard Bread or Sea-biscuit, every Morning; fasting two or three Hours after. This should be done in stubborn Cases, for a Month or six Weeks.

F I N I S.



CONTENTS.

1. A BORTION, (to prevent)	Page 19
2. For an Ague	ibid.
3. A Tertian Ague	20
4. A Quartan Ague	21
5. St. Anthony's Fire	ibid.
6. Apoplexy	22
7. Canine Appetite	ibid.
8. Asthma	ibid.
9. A Dry Convulsive Asthma	23
10. To cure Baldness	ibid.
11. Bleeding at the Nose (to prevent)	ibid.
12. Bleeding of a Wound	ibid.
13. Spitting Blood	24
14 Vomiting Blood	ibid.
15. To dissolve coagulated Blood	ibid.
16. Boils	ibid.
17. Hard Breasts	25
18. Sore Breasts and swell'd	ibid.
19. A Bruise	ibid.
20. To prevent Swelling from a Bruise	ibid.
21. To cure a Swelling from a Bruise	ibid.
22. A Burn or Scald	ibid.
23. A deep Burn or Scald	26
24. A Cancer in the Breast	ibid.
25. A Cancer in any other Part	27
26. A Cancer in the Mouth	ibid.
27. Chilblains (to prevent)	ibid.
28. Chilblains (to cure)	ibid.
29. Chin-Cough or Hooping-Cough	ibid.
30. Cholerea Morbus, i. e. Flux and Vomiting	28
31. Chopt Hands (to prevent)	ibid.
32. Chopt Lips	ibid.
33. A Cold	ibid.
34. A Cold in the Head	ibid.
35. The Colick (in the Fit)	29
36. Colick in Children	ibid.
37. A Billious Colick	ibid.
38. A	38. A

CONTENTS.

38. <i>An Habitual Colick</i>	29
39. <i>An Hysterick Colick</i>	ibid.
40. <i>A Nervous Colick</i>	30
41. <i>Colick from Fumes of Lead, or White-Lead, Verdigrise</i>	ibid.
42. <i>A Consumption</i>	ibid.
43. <i>Convulsions</i>	31
44. <i>Convulsions in Children</i>	32
45. <i>Convulsions in the Bowels of Children</i>	ibid.
46. <i>Corns (to prevent)</i>	ibid.
47. <i>Corns (to cure)</i>	ibid.
48. <i>Costiveness</i>	ibid.
49. <i>A Cough</i>	ibid.
50. <i>Astmatick Cough</i>	33
51. <i>A Consumptive Cough</i>	ibid.
52. <i>A Convulsive Cough</i>	ibid.
53. <i>An Inveterate Cough</i>	ibid.
54. <i>A Pleuritick Cough</i>	34
55. <i>A Tickling Cough</i>	ibid.
56. <i>Violent Coughing from sharp, thin Rheum</i>	ibid.
57. <i>The Cramp (to prevent)</i>	ibid.
58. <i>The Cramp (to cure)</i>	ibid.
59. <i>A Cut</i>	35
60. <i>Deafness</i>	ibid.
61. <i>Deafness from Wax</i>	ibid.
62. <i>Deafness with Head-ach, and Buzzing in the Head</i>	ibid.
63. <i>Settled Deafness</i>	ibid.
64. <i>To cause an easy Delivery.</i>	36
65. <i>The Diabetes</i>	ibid.
66. <i>The Dropsy</i>	ibid.
67. <i>The Ear-Ach</i>	37
68. <i>Ear-Ach from Cold</i>	ibid.
69. <i>Ear-Ach from Heat</i>	38
70. <i>Ear-Ach from Worms</i>	ibid.
71. <i>Noise in the Ears</i>	ibid.
72. <i>Hard Wax in the Ear</i>	ibid.
73. <i>Eyes blear'd</i>	ibid.
74. <i>Blood-shot Eye</i>	ibid.
75. <i>A Bruise in the Eye</i>	ibid.
76. <i>Burning Eyes, or hot Rheum</i>	ibid.
77. <i>Clouds flying before the Eyes</i>	ibid.
78. <i>Blindness</i>	

CONTENTS.

78. Blindness	39
79. Eyes dim or decay'd	ibid.
80. Dull Sight	ibid.
81. Films	ibid.
82. Hot, or sharp Humours	ibid.
83. Eyes inflam'd	ibid.
84. A Lachrymal Fistula	ibid.
85. Pearl in the Eye	40
86. White Specks in the Eye	ibid.
87. An excellent Eye-Water	ibid.
88. Another	ibid.
89. Another	ibid.
90. Weak Eyes	41
91. Falling Sickness	ibid.
92. Falling of the Fundament	ibid.
93. Falling down of the Womb	ibid.
94. A Fever	ibid.
95. A Burning Fever	42
96. A Continual Fever	ibid.
97. A Hectick Fever.	ibid.
98. A High Fever.	ibid.
99. An Intermitting Fever.	ibid.
100. A Fever with Pains in the Limbs	43
101. A Rash Fever	ibid.
102. A slow Fever	ibid.
103. A Fistula	ibid.
104. A Flux.	ibid.
105. A Bloody Flux	44
106. The Gout in the Stomach	ibid.
107. The Gout in the Foot or Hand	45
108. The Gout in any other Limb	ibid.
109. The Gravel	ibid.
110. The Green Sickness	ibid.
111. To Kill Animalcula that cause the Gums to waste away from the Teeth	46
112. The Head ach	ibid.
113. A Chronical Head-ach	ibid.
114. Head-ach from Heat	47
115. A Nervous Head-Ach	ibid.
116. AnHemicrania	ibid.

117.	<i>Stoppage in the Head</i>	47
118.	<i>The Heart-Burning</i>	ibid.
119.	<i>The Hiccup</i>	ibid.
120.	<i>Hoarseness</i>	48
121.	<i>Hypochondriac and Hysterick Disorders</i>	ibid.
122.	<i>The Jaundice</i>	ibid.
123.	<i>The Jaundice in Children</i>	ibid.
124.	<i>The Iliac Passion</i>	ibid.
125.	<i>An Impostume</i>	49
126.	<i>Pain in the Joints.</i>	ibid.
127.	<i>The Itch</i>	ibid.
128.	<i>The King's Evil</i>	50
129.	<i>Stoppage in the Kidneys</i>	ibid.
130.	<i>Legs inflam'd</i>	51
131.	<i>Legs sore and running</i>	ibid.
132.	<i>The Leprosy</i>	ibid.
133.	<i>The Lethargy</i>	ibid.
134.	<i>Lice (to kill</i>	ibid.
135.	<i>For one seemingly kill'd with Lightning, or a Damp, or Suffocated</i>	52
136.	<i>Lues Venerea</i>	ibid.
137.	<i>Lunacy</i>	ibid.
138.	<i>Raging Madness</i>	ibid.
139.	<i>Bite of a Mad Dog</i>	ibid.
140.	<i>The Measles</i>	53
141.	<i>Menses Obstructed</i>	ibid.
142.	<i>Menses Nimii</i>	54
143.	<i>To resolve Coagulated Milk</i>	ibid.
144.	<i>To increase Milk</i>	ibid.
145.	<i>To make Milk agree with the Stomach</i>	ibid.
146.	<i>Nervous Disorders</i>	55
147.	<i>An old stubborn Pain in the Back</i>	56
148.	<i>The Palsy</i>	ibid.
149.	<i>Palsy of the Hands</i>	ibid.
150.	<i>Palsy of the Mouth</i>	ibid.
151.	<i>Palsy from working with white Lead or Verdigrise</i>	57
152.	<i>The Palpitation or Beating of the Heart</i>	ibid.
153.	<i>The Piles (to prevent)</i>	ibid.
154.	<i>The Piles (to cure)</i>	ibid.
155.	<i>The inward Piles</i>	ibid.

156. <i>The Plague (to prevent)</i>	57
157. <i>The Plague (to cure)</i>	58
158. <i>The Pleurisy</i>	ibid.
159. <i>To one Poison'd</i>	ibid.
160. <i>A Prick or Cut that festers</i>	ibid.
161. <i>An easy Purge</i>	ibid.
162. <i>A stronger Purge</i>	59
163. <i>The Quinsy</i>	ibid.
164. <i>The Rheumatism</i>	ibid.
165. <i>To restore Strength after a Rheumatism</i>	60.
166. <i>Rickets (to prevent or cure)</i>	ibid.
167. <i>Ring-Worms</i>	ibid.
168. <i>Running at the Nose</i>	ibid.
169. <i>A Rupture</i>	ibid.
170. <i>A Fresh Rupture</i>	ibid.
171. <i>A Rupture in Children</i>	61
172. <i>A Windy Rupture</i>	ibid.
173. <i>A Scald Head</i>	ibid.
174. <i>The Sciatica</i>	ibid.
175. <i>Inflamations or Swellings of the Scrotum</i>	62
176. <i>A Scorbutick Atrophy</i>	ibid.
177. <i>Scorbutick Pains</i>	ibid.
178. <i>Scorbutick Sores</i>	ibid.
179. <i>The Scurvy</i>	ibid.
180. <i>A broken Skin</i>	63
181. <i>The Shingles</i>	ibid.
182. <i>Sickness in the Morning</i>	ibid.
183. <i>Skin rubbed off</i>	ibid.
184. <i>Small-Pox</i>	ibid.
185. <i>A Sore Mouth</i>	ibid.
186. <i>A Sore Throat</i>	64.
187. <i>A Sprain</i>	ibid.
188. <i>A venomous Sting</i>	ibid.
189. <i>The Sting of a Bee</i>	ibid.
190. <i>The Sting of a Nettle</i>	ibid.
191. <i>The Sting of a Wasp</i>	65
192. <i>The Sting of a Bee or Wasp in the Eye</i>	ibid.
193. <i>A Stick in the Side</i>	ibid.
194. <i>Frequent or violent Stitches</i>	ibid.

CONTENTS.

195.	<i>Accidental Sicknefs, or Pain in the Stomach</i>	85
196.	<i>Pain in the Stomach from bad Digestion</i>	Ibid.
197.	<i>Cholerick, Hot Pains in the Stomach</i>	ibid.
198.	<i>Coldnefs in the Stomach</i>	66
199.	<i>Pain in the Stomach, with coldnefs and Wind</i>	ibid.
200.	<i>The Stone (to prevent)</i>	ibid.
201.	<i>In a Raging Fit</i>	ibid.
202.	<i>The Stone (to ease or cure)</i>	ibid.
203.	<i>The Stone in the Kidneys</i>	ibid.
204.	<i>Stoppage in the Kidneys</i>	ibid.
205.	<i>The Stranguary</i>	ibid.
206.	<i>Sunburn (smarting)</i>	ibid.
207.	<i>To ftop profufe Sweating</i>	ibid.
208.	<i>Swelled Glands in the Neck</i>	68
209.	<i>Swelled Legs</i>	ibid.
210.	<i>A Swelled Throat</i>	ibid.
211.	<i>A white Swelling (on the Joints)</i>	ibid.
212.	<i>To diffolve white or hard Swellings</i>	ibid.
213.	<i>To fatten the Teeth</i>	ibid.
214.	<i>To clean the Teeth</i>	ibid.
215.	<i>To prevent the Tooth-ach</i>	69
216.	<i>To cure the Tooth-ach</i>	ibid.
217.	<i>Pain in the Tefticles</i>	ibid.
218.	<i>To draw out Thorns, Splinters and Bones</i>	ibid.
219.	<i>The Thrush</i>	70
220.	<i>Torpor (or Numbnefs) of the Limbs</i>	ibid.
221.	<i>Twifting of the Guts</i>	ibid.
222.	<i>The Tympany or Windy Dropsy</i>	ibid.
223.	<i>A Vein or Sinerw cut</i>	ibid.
224.	<i>Vertigo or Swimming in the Head</i>	ibid.
225.	<i>Vigilia, Inability to Sleep</i>	71
226.	<i>Bite of a Viper or Rattle Snake</i>	ibid.
227.	<i>To prevent the Bite of a Viper</i>	ibid.
228.	<i>An Ulcer</i>	ibid.
229.	<i>An Inward Ulcer</i>	ibid.
230.	<i>Ulcer in the Bladder or Kidneys</i>	ibid.
231.	<i>A Fiftulous Ulcer</i>	ibid.
232.	<i>A Bleeding Varicious Ulcer in the Leg</i>	72
233.	<i>A Malignant Ulcer</i>	ibid.
234.	<i>A Stubborn Ulcer</i>	ibid.


CONTENTS.

225. <i>An easy and safe Vomit</i>	72
235. <i>To stop Vomiting</i>	ibid.
237. <i>Bloody Urine</i>	ibid.
238. <i>Urine by Drops with Heat and Pain</i>	73
239. <i>Involuntary Urine</i>	ibid.
240. <i>Sharp Urine</i>	ibid.
241. <i>Suppression of Urine</i>	ibid.
242. <i>Uvula inflamed</i>	ibid.
243. <i>Uvula relax'd</i>	ibid.
244. <i>Warts</i>	ibid.
245. <i>The Whites</i>	74
246. <i>A Whitlow</i>	ibid.
247. <i>Weakness in the Ankles</i>	ibid.
248. <i>Worms</i>	ibid.
249. <i>Flat Worms</i>	75
250. <i>Wounds</i>	ibid.
251. <i>Inward Wounds</i>	ibid.
252. <i>Putrid Wounds</i>	ibid.
253. <i>Wounded Tendons</i>	ibid.









Receipt for Chorea
(Herbus)

Take a glass or tumbler
of Cider - and a table
spoonful of hot embers or
coals and put into the
Cider when settled it is
fit for use

take three table spoon
fulls or more if necessary

(5)

To make andersons scots pills

Seena one ounce ~~of powder~~
Angelica, Carrow, Cardus, Pars-
ley, Worm Wood & Aniseeds,
of each half an ounce all in
fine powder infuse them in
one pint of Water until the
Strength is out then strain
out the powder and put to
the liquor; six ounces of fine
aloes, two drams of Rhubarb
two drams of Saffron one ounce
of flower of brimstone all
in powder boyl them well
untill they incorporate Except
the Brimstone which must
not go in till it comes of
the fire pour it out before
it is cold and make it into
pills with a little oyle in the

(2)

hand; four grains taken at bed-
time is good in all Costive-
habits excepting when attended
with the piles. —

A Receipt to make Lavender
Compound. —

Take mace, Cinamon Nut-
megg of each a quarter of an
ounce half a quarter of an ounce
of Cloves pound them well
and put them in Jamaica Spi-
rits two or three weeks then strain
it out and add half a pint of
the Spirits of lavender, colour
it with Echineal or Red Lau-
ders. —

(3)

To kill a Melon —

— take half an ounce of bay
salt pound it mix it with
the yolk of an egg a little
Castile soap thicken it with a
little flour & send the pou-
tice secrett times a day —
provid

An Excellent Poultice
for Sore Eyes; —

— take green Camomile Chispa
leaves Wormwood Rue, par-
sley Gillyflower houseleek Rose
leaves each a like quantity
a little Camphire pound
them all to gether Moist-
en them with Honey and
apply to the Eyes, provid

(4)

for a phtthisicke Cough

take two Spoonfulls of honey one
of lintseed oyle one of sweet
oyle the Juice of a lemon grate
half a Nutmeg beat them to-
gether for use.

To Make Quicksilver ointment
take one ounce of quicksilver
kill it in one ounce of Venice
or Spirits of turpentine then
add four ounces of fresh lard
mix them well together untill
it is fit for use.

Apoathips for a gethering
Before and after it breaks
take a large Spoonfull of
oat meal the yolk of an
egg and Castile soap pound

(5)

them in a mortar moisten it properly with honey and put a little fine salt warm it on the Cloth before the fire and apply it. —

To make a jelly of
Calves feet —

Boyle the feet well take out the bones and strain it then add the Juice of two Limes half a Gall of Wine a little nutmeg and sweeten it with loaf Sugar strain it through a linnen Cloth while Warm —

(6)

To Make Bitters

take two ounces of Gentian
thin sliced a dram and half
of Cardium seed bruised the
rinds of six sevil oranges -
pared thin a dram and a half
of Cochineal finely powdered
a dram of Saffron a dram
of soraker root a little loaf
sugar and a few Juniper Ber:
ries put these into a quart
of brandy and let it stand
a bout tenor days then sieve
it of for use

(7)

To Make Matheos pills
take an ounce of Sulphur
and Cream of tartar two
drams of the best Jellie mix
with Clarified honey to the
Consistency of an Electuary
take the bigness of a small
nutmeg at a time in the
Morning fasting —

Back Blaiter

Take clear Rosin Surpentine
Deer or Sheep Suet & a little
Spirits of Camphire or old
Rum melt them together
for use

So (8) Take a Helm
of the Eye Take Double refined
Loaf Sugar & the powder of an
Egg Shell dried of each a like
Quantity & blow a Small matter
into the Eye with a Goose Quill

Another Receipt
More excellent & effectual
but Sharke Take the powder
of clean white Burnt paper
and blow a little into the Eye

For Making Green oint-
ment

Take a clean Skillett
And put in it Resin as bigg
as a Walnut that being
melted put in the like quan-
tity of Beeswax and when
that is melted put in half a
pound of Lard & when

(9)

mettled put in one spoon full
of honey when all is mettled &
well stird together put in half
a pound of common turpentine
and when Dissolved take it from
the fire and put in one ounce
of fine powdered Verdigrease
and stir all together & be careful
it run not over the Verdigr
Will cause it to rise then set it
on the fire untill it simmers
a little. suffer it not to Boyle
for it Will turn Red & lose
its Vertue if Boyled then strain
it thro a cloth and put it up
for use covered to keep the
dust out — it is good for
Wounds in Man or Beast

(10)

To Make an Healing & set
take one ounce of Bees or
Sheep Suet one ounce of
Clean Lard $\frac{1}{2}$ an ounce of
White Lead finely powdered
stir them well together for
use without melting —

To Make a Gentle Pill

Take Secatrine Aloes
Castile Soap Balsome Capreeve
and Spicewood Berries of Each
an Equal Weight except the
Balsome of which half the
weight Beat them in a mor-
tar untill they are sufficien-
ly mixt for use

(11)

Mr. Make Lord Newell's Lenten Plaster

Take one pint of Olive
Oyle Read & White Lead of
each a quarter of a pound
two ounces of Castile Soap
Incorporate them well together
in a new well glazed Earthen
vessel over a slow Fire until
by dropping it on the finger
it will not stick stirring it
all the while then put it
by for use —

Salve for Tetter

Take the bark & Ber-
ries of night shade one pound
of smitten Tallow melt the
tallow and put in as much
of the Bark & Berries as well

can be covered it close, and let
 it stew several hours over a
 Gentle fire, then strain it
 thro: a Cloath - put fresh Bark
 and Berries & do as before,
 then when strained off take
 1½ ounce of Bees Wax, and one
 ounce of Rosin & put to it
 which when Dissolv'd is done,

To use it when the Tumor
 first comes put the salve to it
 and with a hot Coal or Iron
 mett it in for a quarter of an hour
 Repeat it four or five times in
 a day and keep a plaister of
 the above to it

(13)

To Make Suttle Salve

take White Resin 8 oz
Virgins Wax 4 oz Frankincense
4 oz Mastick 1 oz Bees suet
4 oz Camphire & Sassa Beat
the Resin mastick and frank-
incence in a mortar to fine
powder then melt the suet &
Wax together then put in the
powder when they are Melted
strain it through a Cloath into
two quarts of White wine Boil
it together til it is somewhat
thick then let it Cool & put
in the Camphire & 4 oz of
Venice turpentine drop by drop
let it simmer stirring it Con-
stantly then make it into rotes
for use

To Stop Blood

a Fried Toad Softened with
vinegar applied or lint wet
with Balsamick Tincture

(14) for pimples in the face
dissolve Camphire in Sharp
vinegar & wash the face several
times a day —

for the Vertigo or dizziness
in the head dip tents of linen
rago dip it in Cinamon Water
put it up the Nostrils.

to cure a Tetter or Ringworm
take Black Soap mix it with
almost as much fine ginger
Rub it it several times a day
this cures Titters or Ringworm
let them be ever so Bad

For a Consumption —

Take one tea cup full of
flax seed put into 3 pints
of water $\frac{1}{4}$ pound Sugar Cand
dy Boile it till it requires
the Consistence of Honey —
take a spoon full every two
Hours —

To Make Spice Pills

2 oz of Currants or stoned Raisins
 1 oz of powdered Alecompaine Roots
 1 oz of Liquorish Ball
 1 oz of Clean steel filings.
 $\frac{1}{2}$ a $\frac{1}{4}$ oz of Nutmeg
 $\frac{1}{2}$ a $\frac{1}{4}$ oz of Cinnamon
 all to be powdered and Moist-
 ned with Honey so as to make
 them into pills take two
 large or three small ones
 every Night

A Receipt for Pills

of Sake myrrh & Mastick
 of each 2 Grains Best Rhubarb
 1 ounce fine Powdered
 make into a mass with
 Syrop of Buckthorn
 for my own Use

For a Burn or sore
Melt half an ounce of Bees-
wax put one Spoonfull of
Sweet oyle beat it well to-
gether add half the yolk of
an Egg beat them all together
and apply a plaster

To Make Alterative pills
Take half an oz of Castile Soap
pound it well in a mortar
then one Dram of Scammony
& beat it into a grogier
mass moisten it with a little
Syrup of Buckthorn

To Make Egg Salve
Melt one ounce of Bees wax
add two Table Spoonfulls of sweet
oil or Hogs Lard & when a little
better than new milk warm stir
in the yolk of one egg well beat

For the Murrain in cattle
Take two pligs of Tobacco
cut it small and Boil it
comatly in water drench
the Beast as soon as cook.
D. Saylor

Or take 1 lb of salts &
2 1/2 of salt Peter &
20 of Ginger and
drench therewith &
1 Quart of Lye after
Wm Davis

Cure for the Rheumatism


Bath the part well in
Potatoe Water warm.

A Cure for the
Bloody Murrain.

Take Cedar Buds or
Tops of Branches bruise
them and boil them
15 or 20 minutes and
when cool enough
give the beast a Quart
or three Pints —



to make Marmalade
pare & slice the Quinces & boyle them in
clear water untill they are soft then squeeze
them through a sieve or colander then add an
equal quantity of good sugar as Quinces & mix
the sugar and boyle it well half an
hour then add the Quinces with the peels of
the seeds & boyle it till it is done
warm when





Med Hist.

W 2

270

W513p

1764

C.1

